



[www.zhuguang-sh.com](http://www.zhuguang-sh.com)



Shanghai Universe Electrical Appliance Corp.

上海昊寰电器制造有限公司

No.1608 Chuhua Rd.Part B Fengxian Shanghai

Chemical Industry Park China

上海市奉贤区化工区楚华北路1608号

+86 0 139 1805 2888 (WhatsApp)

+86 21 5745 8328 (T)

+86 21 5745 8338 (F)

zhuguang@mail.online.sh.cn

zhuguang1@zhuguang-sh.com ( Zhao )

zhuguang2@zhuguang-sh.com ( Tao )

zhuguang3@zhuguang-sh.com ( Lily )



WeChat



# CHRISTMAS WORLD



Website


**PREMIUM**

*Christmasworld For Your Idea*



# LIGHTING YOUR LIFE & LOVE

**PREMIUM & GUARANTEED 5 YEARS**





# Company

## Shanghai Universe Electrical Appliance Corp.

Company Started in 2003, located in Shanghai Chemical Industry Park Has an area of nearly 30000M2, The company mainly engaged in Christmas lights , Christmas led lights, Christmas decorations, craft gifts and so on, products are exported to European and American .Companies pay attention to product high quality, has been the technological innovation as the basic strategy , adhere to the "high quality of survival, high quality for development" , the full implementation of the "quality policy quality, seeking satisfaction, increase efficiency", to strengthen the quality management system and product quality control, so that the company's technology development ability, product quality level and the ability to open up the market, product quality control capability, in the domestic counterparts in the front ranks.

## Company Tenet


Company's products festival lamp is the company's traditional industries and pillar industries, mainly the production of Christmas tree with complete holiday lighting series products, For city street planning and construction, including high-tech new type LED Christmas lights or lamp, rope lights, land lights, garden lights etc.. The characteristics of energy saving and environmental protection, safe and reliable, unique design, novel structure, is the ideal holiday decorations. All export products, exported to Europe, America and many countries and regions, the annual export amounted to nearly 10 million dollars. Company to "good faith, science, innovation, environmental protection, cooperation" business philosophy, to "create wealth, to repay the society, employees and enterprises to achieve common development" for the purpose, and strive to achieve the "scientific decision-making, management standardization, process standardization, office automation", the company with "the ground for this, by honesty, to innovation, sincerity welcome" spirit of enterprise, strive for in the international market to the quality and service of a win-win situation to seize the new circumstances, occupy the high-end market with high quality products, based on as soon as possible to develop into a first-class enterprise.






# CERTIFICATE QUALITY MANAGEMENT SYSTEM

Our company early establish internationally recognized ISO 9001:2008 management system certification system, ensure the production process to achieve standardization, standardization, the product can meet the requirements of the European Union and other international standards, without affecting the customer's use, health, environment and other factors, so that the quality of the product to achieve the best, this is the company has follow the standard the product had been test in factory laboratory with fulltest machine And get the standards forthe United States UL, CSA, the European VDE GS/CE EMC ROHS REACH WEEE and a series of certification; and through the ISO9001 2008 quality management system certification in 2007, to adapt to the new situation of competition of economic globalization, the company spirit of "industry doing fine, local break, steady progressive, strategy development association", continuously enhance the capacity for sustained development of enterprises, promote the enterprises to achieve a comprehensive, coordinated, sustainable development.





# SHOWROOM




Our company' s strong A variety of display products Lightingworld  
By professional designers to create a product display platform,  
designers spend the heart of the display products, the purpose is to  
immerse themselves in the light of the ocean, enjoy the glorious  
moment of happiness.  
Products in accordance with the appreciation of the various  
countries to display.  
Welcome to our hotel!





# TESTING OUR TESTED LAB

Ensure product quality  
Ensure market share  
Ensure the safe use of users  
The company self erected on the establishment of a complete product and raw materials detection system, detection equipment has a strong, efficient, standard, raw materials to ensure production beginning with standard, safety, making the investment market products are of high quality and safety.







# Transport


Work closely with the strength of the sea, the shipping company, with the most rapid route to ensure the transportation efficiency, safety, and guarantee the freight price advantage, our customers can quickly receive their products

Cooperative shipping company: MAERSK、 HANJIN、 NYK、 YML、 APL so on and Many airlines



# Traffic

Our company is located in convenient transportation, only half an hour away from the airport, only 40 minutes away from the port, the attachment of a number of highways, S4 high speed exit, turn right to branch road, turn left and go straight to the company







UNIVERSE

## Exhibitions and events

The Canton Fair— China Import and Export Fair We participate in the annual meeting of the spring and Autumn Fair, welcome new and old customers as well as a large number of visitors in the exhibition area has a unique style, the annual fair undertaking of the millions of visitors each year, we change the display style, to meet visitors from around the world .

## Messe Frankfurt





# COMPANY WEBSITE

In order to facilitate customers to view product information and the latest information  
A new way to browse, view all parameters, structure, etc.  
Need to offer, you can send EMAIL, we will be the first time to reply to your inquiry.  
The latest product information,  
Please Click <http://www.zhuguang-sh.com> !

DATA  
Report

FILE

UNIVERSE



# LIGHTINGWORLD OF CHRISTMAS

## TABLE OF CONTENTS

<b>LED LIGHTS FOR HIGH VOLTAGE</b>	<b>19</b>
LED Lights For Indoor-----	21
LED Lights With Decoration For Indoor -----	29
LED Lights For Outdoor -----	33
LED Lights With Decoration For Outdoor -----	43
Accessories And LED' s Combinations Plan -----	46
<b>LED LIGHTS FOR LOW VOLTAGE</b>	<b>51</b>
LED Lights For Low Voltage -----	53
LED Lights With Decoration For Low Voltage -----	63
LED Cooper Wire Lights For Low Voltage -----	75
LED Battery Lights-----	81
<b>DECORATION LIGHTS AND NEW PRUDUCTS</b>	<b>97</b>
Modelling Decoration Lights-----	99
New Lights-----	105
<b>TRADITIONAL LIGHTS</b>	<b>115</b>
Little Lights For Indoor -----	117
Pearl Lights For Indoor -----	120
Rice Lights For Indoor -----	122
Rice Lights For Outdoor -----	124
<b>LIGHT OF ART</b>	<b>127</b>







# LED Lights For High Voltage



LED Lights For Indoor -----	21
LED Lights With Decoration For Indoor -----	29
LED Lights For Outdoor-----	33
LED Lights With Decoration For Outdoor-----	43



# LIGHTING LIFE

## LED Lights For Indoor



The quality of our products meet the requirements of standards around the world ,  
And the cooper 、 LED all the material is the best,to create high-quality products .  
Also all the materials of products are tested by our company professional testing  
equipment qualified, high-quality materials.  
All materials are environmentally, flame retardant materials .

The use of a wide range of this lights, For indoor decoration , house and xmas tree and your life room so on .  
The Lights is based on the size of the size you need to decorate the position to choose the parameters of the  
string you need, such as the number of bulbs, spacing, etc.

Products can be customized information :

LED color : white、 warm、 red、 yellow、 blue、 green、 volite、 pink、 RGB、 changing color and so on



LED spec : Round 、 Concave so  
on  
Wire color : green , clear , white ,  
black and so on  
Bulbs/strings distance : 5~30 cm  
and so on  
Decoration length : 1-100 m  
Connected : YES or NO  
Packaging : colorbox or card, and  
PVC box









## CHRISTMASWORLD-INDOOR

### 50 LED Round Lights


- Certificate type :\*\*\*\*\*
- 020-011
- Multicolor



LED spec :  $\phi$  5 mm  
 The LED bulbs between distance 10 cm,  
 Decoration length L4.9 m  
 Lights Wire type/spec is green PVC wire/1\*0.5mm<sup>2</sup>  
 Plug wire spec 2\*0.5 mm<sup>2</sup> PVC wire  
 Supply for 230V/IP20/50Hz 3W  
 Bulbs spec 3V/20mA 0.06W  
 Connected : NO  
 Packaging is colorbox 24 pcs per cartons  
 Colorbox size : 17\*6\*11 cm  
 Volume : 0.03 cbm/ctn



- Certificate type :\*\*\*\*\*
- 020-012
- White



- Certificate type :\*\*\*\*\*
- 020-016
- Blue



- Certificate type :\*\*\*\*\*
- 020-013
- Red



- Certificate type :\*\*\*\*\*
- 020-018
- Warm



### 50 LED Straight Lights


- Certificate type :\*\*\*\*\*
- 037-158
- Warm




LED spec :  $\phi$  5 mm  
 The LED bulbs between distance 10 cm,  
 Decoration length L4.9 m  
 Lights Wire type/spec is Clear PVC wire/1\*0.5mm<sup>2</sup>  
 Plug wire spec 2\*0.5 mm<sup>2</sup> PVC wire  
 Supply for 230V/IP20/50Hz 3W  
 Bulbs spec 3V/20mA 0.06W  
 Connected : NO  
 Packaging is colorbox 24 pcs per cartons  
 Colorbox size : 17\*6\*11 cm  
 Volume : 0.03 cbm/ctn



**Two ways:**  
 (The second ways can changed the plug  
 and extended line)



If need flash function, can choose added flash LED  
 1/8 Hz flashing 10% or 20% LED  
 (FLASH LED can be 10%~100%)



- Certificate type :\*\*\*\*\*
- 037-151
- Multicolor



LED spec :  $\phi$  5 mm  
 The LED bulbs between distance 10 cm,  
 Decoration length L4.9 m  
 Lights Wire type/spec is clear PVC wire/1\*0.5mm<sup>2</sup>  
 Plug wire spec 2\*0.5 mm<sup>2</sup> PVC wire  
 Supply for 230V/IP20/50Hz 3W  
 Bulbs spec 3V/20mA 0.06W  
 Connected : NO  
 Packaging is colorbox 24 pcs per cartons  
 Colorbox size : 17\*6\*11 cm  
 Volume : 0.03 cbm/ctn









## CHRISTMASWORLD-INDOOR

### 100+EC LED Straight Lights

- Certificate type :\*\*\*\*\*
- 020-062
- White



LED spec :  $\phi$  5 mm  
 The LED bulbs between distance 10 cm  
 Decoration length L9.9 m  
 Lights Wire type/spec is green PVC wire/1\*0.5mm<sup>2</sup>  
 Plug wire spec 2\*0.5 mm<sup>2</sup> PVC wire  
 Supply for 230V/IP20/50Hz 6W  
 Bulbs spec 3V/20mA 0.06W  
 Connected : YES  
 Packaging is colorbox 24 pcs per cartons  
 Colorbox size : 18\*8\*15 cm  
 Volume : 0.05 cbm/ctn




### 60+EC LED Icicle Lights (7LED-3LED-6LED-4LED.....)

- Certificate type :\*\*\*\*\*
- 020-098
- Warm



LED spec :  $\phi$  5 mm  
 The LED bulbs between distance 10 cm,  
 String distance 25 cm  
 Decoration L2.75 m x 0.70 m  
 Lights Wire type/spec is clear PVC wire/1\*0.5mm<sup>2</sup>  
 Plug wire spec 2\*0.5 mm<sup>2</sup> PVC wire  
 Supply for 230V/IP20/50Hz 3.6W  
 Bulbs spec 3V/20mA 0.06W  
 Connected : YES  
 Packaging is colorbox 24 pcs per cartons  
 Colorbox size : 18\*8\*16 cm  
 Volume : 0.06 cbm/ctn









## CHRISTMASWORLD-INDOOR

### 80 LED Straight+8 Function Controller Lights

- Certificate type :\*\*\*\*\*
- 020-071
- Multicolor



LED spec :  $\phi$  5 mm  
 The LED bulbs between distance 10 cm,  
 Decoration length L7.9 m  
 Controller spec : 8 functions IP20 indoor  
 Lights wire type/spec is green PVC wire/1\*0.5mm<sup>2</sup>  
 Plug wire spec 2\*0.5 mm<sup>2</sup> PVC wire  
 Supply for 230V/IP20/50Hz 4.8W  
 Bulbs spec 3V/20mA 0.06W  
 Connected : NO  
 Packaging is colorbox 24 pcs per cartons  
 Colobox size : 18\*8\*15 cm  
 Volume : 0.05 cbm/ctn





www.zhuguang-sh.com

### 100+EC LED+20% Flashed Icicle Lights (7LED-3LED-6LED-4LED.....)

- Certificate type :\*\*\*\*\*
- 020-198
- Warm



LED spec :  $\phi$  5 mm LED  
 Flash LED spec :  $\phi$  5mm 1/8 Hz flashed LED  
 The LED bulbs between distance 10 cm  
 String distance 25 cm  
 Decoration L2.75 m x H0.70 m  
 Lights wire type/spec is green PVC wire/1\*0.5mm<sup>2</sup>  
 Plug wire spec 2\*0.5 mm<sup>2</sup> PVC wire  
 Supply for 230V/IP20/50Hz 3.6W  
 Bulbs spec 3V/20mA 0.06W  
 Connected : YES  
 Packaging is colorbox 24 pcs per cartons  
 Colorbox size : 18\*8\*16 cm  
 Volume : 0.06 cbm/ctn




### 80+EC LED Icicle+8 Function Controller Lights (7LED-3LED-6LED-4LED.....)

- Certificate type :\*\*\*\*\*
- 021-096
- Blue



LED spec :  $\phi$  5 mm  
 The LED bulbs between distance 10 cm  
 String distance 25 cm  
 Decoration L2.75 m x H0.70 m  
 Controller spec : 8 function IP20  
 Lights Wire type/spec is green PVC wire/1\*0.5mm<sup>2</sup>  
 Plug wire spec 2\*0.5 mm<sup>2</sup> PVC wire  
 Supply for 230V/IP20/50Hz 3.6W  
 Bulbs spec 3V/20mA 0.06W  
 Connected : YES  
 Packaging is colorbox 24 pcs per cartons  
 Colorbox size : 18\*8\*16 cm  
 Volume : 0.05 cbm/ctn







## CHRISTMASWORLD-INDOOR

### 200+EC LED Curtain Lights (20\*25cm/L5m , 10\*10cm/H1m)


- Certificate type :\*\*\*\*\*
- 021-108
- Warm



LED spec :  $\phi$  5 mm  
 The LED bulbs between distance 10 cm  
 String distance 25 cm  
 Decoration L5.0 m x 1.0 m  
 Wire type/spec green PVC wire/H1\*0.5mm  
 Plug wire spec 2\*0.5 mm<sup>2</sup> PVC wire  
 Supply for 230V/IP20/50Hz 12W  
 Bulbs spec 3V/20mA 0.06W  
 Connected : YES  
 Packaging colorbox 24 pcs per cartons  
 Colorbox size : 19\*9\*17 cm  
 Volume : 0.07 cbm/ctn



Or added flashing



## LED Lights With Decoration For Indoor



The quality of our products meet the requirements of standards around the world ,  
 And the cooper 、LED、 decoration all the material is the best,to create high–  
 quality products .

Also all the materials of products are tested by our company professional testing  
 equipment qualified, high–quality materials ,

All materials are environmentally, flame retardant materials .

The use of a wide range of this lights, For indoor decoration , house and xmas tree and your life room so on .  
 The Lights is based on the size of the size you need to decorate the position to choose the parameters of the  
 string you need, such as the number of bulbs, spacing, etc.  
 And the material of decoration is some many, PP,PE,PVC, Acrylic and so on , the type is very  
 many,Icicle,moon,xmasman,oldman,snow,star and so on.

Products can be customized information :

LED color : white、 warm、 red、 yellow、 blue、 green、 volite、 pink、 RGB、 changing color and so on



Wire color : green , clear , white ,  
 black and so on  
 Bulbs/strings distance : 5~30  
 cm and so on  
 Decoration length : 1–10 m  
 Connected : YES or NO  
 Packaging : colorbox or card,  
 and PVC box








## CHRISTMASWORLD-INDOOR

### 20 LED With C9 For Indoor

- Certificate type :\*\*\*\*\*
- 021-511
- Multicolor
- Decoration : C9



LED spec :  $\phi$  5 mm  
 The LED bulbs between distance 10 cm  
 Decoration L1.9m  
 Wire type/spec green PVC wire/1\*0.5mm<sup>2</sup>  
 Plug wire spec 2\*0.5 mm<sup>2</sup> PVC wire  
 Supply for 230V/IP20/50Hz 1.2W  
 Bulbs spec 3V/20mA 0.06W  
 Connected : NO  
 Packaging colorbox 24 pcs per cartons




### 20 LED With C6 For Indoor

- Certificate type :\*\*\*\*\*
- 021-401
- Multicolor
- Decoration : C6



LED spec :  $\phi$  5 mm  
 The LED bulbs between distance 10 or 20 cm  
 Decoration L3.8m  
 Wire type/spec green PVC wire/1\*0.5mm<sup>2</sup>  
 Plug wire spec 2\*0.5 mm<sup>2</sup> PVC wire  
 Supply for 230V/IP20/50Hz 1.2W  
 Bulbs spec 3V/20mA 0.06W  
 Connected : NO  
 Packaging colorbox 24 pcs per cartons



### 40 LED With Decoration For Indoor

- Certificate type :\*\*\*\*\*
- 037-351
- Multicolor
- Decoration : Petal, Icicle,  $\phi$  4/6 EVA ball, star, snow, angle so



LED spec :  $\phi$  5 mm  
 The LED bulbs between distance 10 cm  
 Decoration L3.9m  
 Wire type/spec green PVC wire/1\*0.5mm<sup>2</sup>  
 Plug wire spec 2\*0.5 mm<sup>2</sup> PVC wire  
 Supply for 230V/IP20/50Hz 2.4W  
 Bulbs spec 3V/20mA 0.06W  
 Connected : NO  
 Packaging colorbox 24 pcs per cartons



### 20 LED with C6 For Indoor

- Certificate type :\*\*\*\*\*
- 021-408
- Warm
- Decoration : C6



LED spec :  $\phi$  5 mm  
 The LED bulbs between distance 10 or 20 cm  
 Decoration L3.8m  
 Wire type/spec green PVC wire/1\*0.5mm<sup>2</sup>  
 Plug wire spec 2\*0.5 mm<sup>2</sup> PVC wire  
 Supply for 230V/IP20/50Hz 1.2W  
 Bulbs spec 3V/20mA 0.06W  
 Connected : NO  
 Packaging colorbox 24 pcs per cartons







## CHRISTMASWORLD-INDOOR

### 80 LED With Ball For Indoor

- Certificate type :\*\*\*\*\*
- 037-351
- Multicolor
- Ball spec : 1.5/1.8/2.5 and so on



LED spec :  $\phi$  5 mm

The LED bulbs between distance 10 cm

Decoration L7.9m

Wire type/spec green PVC wire/1\*0.5mm<sup>2</sup>


Plug wire spec 2\*0.5 mm<sup>2</sup> PVC wire

Supply for 230V/IP20/50Hz 4.8W

Bulbs spec 3V/20mA 0.06W

Connected : NO

Packaging colorbox 24 pcs per cartons



## LED Lights For Outdoor



The quality of our products meet the requirements of standards around the world .

And the cooper 、LED、 wire and all the material is the best,to create high-quality products .

Also all the materials of products are tested by our company professional testing equipment qualified, high-quality materials .

All materials are environmentally, flame retardant materials .

The use of a wide range of this lights, For OUTDOOR decoration , large cities, streets and other large outdoor public facilities, landscaping, and supermarkets, shopping malls and other public places to dress up. Small to individual family corridors, eaves and other decorations, and all kinds of large-scale such as Christmas day, party, party and other activities decoration. In short, it can be used to dress up your life, work, entertainment any corner.

The Lights is based on the size of the size you need to decorate the position to choose the parameters of the string you need, such as the number of LED bulbs, length,width, etc.

According to your decoration outdoor space size, you need to effect, and show how to achieve commercial or promotional purposes, we can help you, we will provide the best quality products and reasonable layout .








## CHRISTMASWORLD-OUTDOOR

### Products can be customized information :

LED color : white, warm, red, yellow, blue, green, volite, pink, RGB, flash LED, changing color and so on



Wire color : green , clear , white , black and so on rubber cable wire

LED spec : Round 、 Concave so on

Structure : Round、Staight、 Icicle、 curtain、 Net and so on

Bulbs/strings distance : 5~30 cm and so on

Decoration length : 1~1000 m

Connected : YES or NO

Controller : 1~8 Funcation or NO

Replaceable : YES or NO

Flash number : 10%~100%

Packaging : colorbox and white box



### 50 LED Round Lights For Outdoor

- Certificate type :\*\*\*\*\*
- 038-101
- Multicolor



LED spec :  $\phi$  5 mm LED

The LED bulbs between distance 10 cm

Decoration L4.9m

Wire type/spec black wire/1\*0.5mm<sup>2</sup>

Plug wire spec 2\*0.75 mm<sup>2</sup> rubber cable wire


Supply for 230V/IP44/50Hz 3W

Bulbs spec 3V/20mA 0.06W

Connected : NO

Packaging colorbox 24 pcs per cartons

0.045 cbm/ctn



Add flash

Add 10%~100% FLASH LED

(1/8 HZ high quality)



### 80+EC LED Straight Lights For outdoor

- Certificate type :\*\*\*\*\*
- 038-471
- Multicolor



LED spec :  $\phi$  5 mm LED

LED bulbs between distance 10 cm

Decoration L7.9m

Wire type/spec black wire/1\*0.5mm<sup>2</sup>

Plug wire spec 2\*0.75 mm<sup>2</sup> rubber cable wire


Supply for 230V/IP44/50Hz 3W

Bulbs spec 3V/20mA 0.06W

Connected : YES

Packaging colorbox 24 pcs per cartons

0.06 cbm/ctn








## CHRISTMASWORLD-OUTDOOR

### 100+EC LED Straight +20% Flash Lights For outdoor

- Certificate type :\*\*\*\*\*
- 038-422
- White



LED spec :  $\phi$  5 mm LED  
The LED bulbs between distance 10 cm  
Decoration L9.9m  
Wire type/spec black wire/1\*0.5mm<sup>2</sup>  
Plug wire spec 2\*0.75 mm<sup>2</sup> rubber cable wire  
Supply for 230V/IP44/50Hz 6W  
Bulbs spec 3V/20mA 0.06W  
Connected : YES  
Packaging colorbox 24 pcs per cartons  
0.06 cbm/ctn



### 100+EC LED With 8 Function Controller Lights For Outdoor

- Certificate type :\*\*\*\*\*
- 038-581
- Multicolor



LED spec :  $\phi$  5 mm LED  
The LED bulbs between distance 10 cm  
Decoration L9.9m  
Wire type/spec black wire/1\*0.5mm<sup>2</sup>  
Plug wire spec 2\*0.75 mm<sup>2</sup> rubber cable wire  
Supply for 230V/IP44/50Hz 6W  
Bulbs spec 3V/20mA 0.06W  
Connected : YES  
Packaging colorbox 24 pcs per cartons  
0.06 cbm/ctn




### 100+EC LED Icicle Lights For Outdoor (Icicle : 7LED-3LED-6LED-4LED.....)


- Certificate type :\*\*\*\*\*
- 038-651
- Multicolor



LED spec :  $\phi$  5 mm LED  
The LED bulbs between distance 10 cm  
String distance 25 cm  
Decoration L4.75m  
Wire type/spec black wire/1\*0.5mm<sup>2</sup>  
Plug wire spec 2\*0.75 mm<sup>2</sup> rubber cable wire  
Supply for 230V/IP44/50Hz 6W  
Bulbs spec 3V/20mA 0.06W  
Connected : YES  
Packaging colorbox 12 pcs per cartons  
0.06 cbm/ctn



ITEM NO. 038-656  
 $\phi$  5mm LED  
WHITE  
OUTDOOR  
BLACK RUBBER CABLE WIRE  
COLORBOX SIZE 22\*9\*20  
12 PCS PER CARTON  
0.05 CBM/CTN  
END CONNECTED



ITEM NO. 038-656  
 $\phi$  5mm LED  
BLUE  
OUTDOOR  
BLACK RUBBER CABLE WIRE  
COLORBOX SIZE 22\*9\*20  
12 PCS PER CARTON  
0.05 CBM/CTN  
END CONNECTED

AND WHITE RUBBER WIRE





## CHRISTMASWORLD-OUTDOOR

### 200+EC LED Icicle+20% FLASH Lights For Outdoor (Icicle : 7LED-3LED-6LED-4LED.....)

- Certificate type :\*\*\*\*\*
- 038-338
- Warm



LED spec :  $\phi$  5 mm LED  
The LED bulbs between distance 10 cm  
String distance 25 cm  
Decoration L9.75m  
Wire type/spec black wire/1\*0.5mm<sup>2</sup>  
Plug wire spec 2\*0.75 mm<sup>2</sup> rubber cable wire  
Supply for 230V/IP44/50Hz 12W  
Bulbs spec 3V/20mA 0.06W  
Connected : YES  
Packaging colorbox 12 pcs per cartons  
0.06 cbm/ctn

- Certificate type :\*\*\*\*\*
- 038-336
- Blue




$\phi$  5mm LED  
WHITE LED/ WHITE FLASH  
OUTDOOR  
BLACK RUBBER CABLE WIRE  
COLORBOX SIZE 22\*9\*20  
12 PCS PER CARTON  
0.05 CBM/CTN  
END CONNECTED  
AND WHITE RUBBER WIRE

- Certificate type :\*\*\*\*\*
- 038-332
- White



$\phi$  5mm LED  
WHITE LED/ WHITE FLASH  
OUTDOOR  
BLACK RUBBER CABLE WIRE  
COLORBOX SIZE 22\*9\*20  
12 PCS PER CARTON  
0.05 CBM/CTN  
END CONNECTED  
AND WHITE RUBBER WIRE





### 140+EC LED Icicle With 8 Function Controller Lights For Outdoor (Icicle : 3LED-8LED-11LED-8LED-5LED-3LED.....)

- Certificate type :\*\*\*\*\*
- 038-756
- Bule



LED spec :  $\phi$  5 mm LED  
The LED bulbs between distance 10 cm  
String distance 25 cm  
Decoration L4.75m  
Wire type/spec black wire/1\*0.5mm<sup>2</sup>  
Plug wire spec 2\*0.75 mm<sup>2</sup> rubber cable wire  
Supply for 230V/IP44/50Hz 8.4W  
Bulbs spec 3V/20mA 0.06W  
Connected : YES  
Packaging colorbox 12 pcs per cartons  
0.06 cbm/ctn




### 200+EC LED Curtain Lights For Outdoor (20S\*25cm/5.0m;10LED\*10cm/1.0m)

- Certificate type :\*\*\*\*\*
- 038-922
- White



LED spec :  $\phi$  5 mmLED  
The LED bulbs between distance 10 cm  
String distance 25 cm  
Decoration L5.0m x H 1.0m  
Wire type/spec black wire/1\*0.5mm<sup>2</sup>  
Plug wire spec 2\*0.75 mm<sup>2</sup> rubber cable wire  
Supply for 230V/IP44/50Hz 12W  
Bulbs spec 3V/20mA 0.06W  
Connected : YES  
Packaging colorbox 12 pcs per cartons  
0.08 cbm/ctn







## CHRISTMASWORLD-OUTDOOR

### 200+EC LED Curtain Lights With MAIN CABLE For Outdoor(10S\*20cm/2.0m;20LED\*10cm/2.0m) Replaceable

- Certificate type :\*\*\*\*\*
- 038-902
- White



Replaceable : YES

LED spec :  $\phi$  5 mm LED

The LED bulbs between distance 10 cm

String distance 25 cm

Decoration L2.0m x H 2.0m

Wire type/spec black wire/1\*0.5mm<sup>2</sup>

Plug wire spec 2\*0.75 mm<sup>2</sup> rubber cable wire



Supply for 230V/IP44/50Hz 12W

Bulbs spec 3V/20mA 0.06W

Connected : YES

Packaging colorbox 6 pcs per cartons

0.08 cbm/ctn



Add flash

10%~100% FLASH LED

(1/8 HZ high quality)

WARM WHITE LED

WHITE FLASH



www.zhuguang-sh.com

### 200+EC LED Arc Lights For Outdoor

- Certificate type :\*\*\*\*\*
- 038-802
- White



LED spec :  $\phi$  5 mm LED

The LED bulbs between distance 10 cm

Decoration L20.0m

Wire type/spec black wire/1\*0.5mm<sup>2</sup>

Plug wire spec 2\*0.75 mm<sup>2</sup> rubber cable wire


Supply for 230V/IP44/50Hz 12W

Bulbs spec 3V/20mA 0.06W

Connected : YES

Packaging colorbox 6 pcs per cartons

0.08 cbm/ctn








## CHRISTMASWORLD-OUTDOOR

### 200+EC LED Net Lights For Outdoor

- Certificate type :\*\*\*\*\*
- 038-702
- White



LED spec :  $\phi$  5 mm LED  
The LED bulbs between distance 10 cm  
Decoration L2.0m \* H1.0m  
Wire type/spec black wire/1\*0.5mm<sup>2</sup>  
Plug wire spec 2\*0.75 mm<sup>2</sup> rubber cable wire  
Supply for 230V/IP44/50Hz 12W  
Bulbs spec 3V/20mA 0.06W  
Connected : YES  
Packaging colorbox 6 pcs per cartons  
0.08 cbm/ctn



## LED Lights With Decoration For Outdoor



The Decoration Customizable

Different shapes, different sizes, showing different effects

After the lights put glue string processing, waterproof effect is very good








## CHRISTMASWORLD-DECORATION

### 50+EC LED Straight With $\phi$ 2.5cm Ball Lights

- Certificate type :\*\*\*\*\*
- 038-241
- Multicolor



LED spec :  $\phi$  5 mm LED  
 The LED bulbs between distance 10 cm  
 Decoration L5.0m  
 Wire type/spec black wire/1\*0.5mm<sup>2</sup>  
 Plug wire spec 2\*0.75 mm<sup>2</sup> rubber cable wire  
 Supply for 230V/IP44/50Hz 3W  
 Bulbs spec 3V/20mA 0.06W  
 Connected : YES  
 Packaging colorbox 12 pcs per cartons  
 0.04 cbm/ctn




### 80+EC LED Straight With $\phi$ 2.8cm Ball Lights

- Certificate type :\*\*\*\*\*
- 038-251
- Multicolor



LED spec :  $\phi$  5 mm LED  
 The LED bulbs between distance 10 cm  
 Decoration L5.0m  
 Wire type/spec black wire/1\*0.5mm<sup>2</sup>  
 Plug wire spec 2\*0.75 mm<sup>2</sup> rubber cable wire  
 Supply for 230V/IP44/50Hz 3W  
 Bulbs spec 3V/20mA 0.06W  
 Connected : YES  
 Packaging colorbox 12 pcs per cartons  
 0.04 cbm/ctn










## CHRISTMASWORLD-ACCESSORIES

### Accessories



Used high voltage Products connected , Input 1–output 2 ,  
connector size L50 cm x 20 cm  
Products for INDOOR & OUTDOOR AC220V~240V/50Hz  
Main cable wire 2\*0.75 mm<sup>2</sup>  
The main supply should always be disconnected before  
adding new sections and an end cap should close any open  
ends, Earth fault breaker is recommended,save these  
instrucations  
The connector For the connection between the products, in  
order to completely and perfectly decorate your Christmas  
tree or other decoration.



#### Products Parts and Accessories Connector




Used high voltage Products connected , Input 1–output 5 ,  
connector size  $\phi$  10 cm  
Products for INDOOR & OUTDOOR AC220V~240V/50Hz  
Main cable wire 2\*0.75 mm<sup>2</sup>  
The main supply should always be disconnected before  
adding new sections and an end cap should close any open  
ends, Earth fault breaker is recommended,save these  
instrucations  
The connector For the connection between the products, in  
order to completely and perfectly decorate your Christmas  
tree or other decoration.

#### Products Parts and Accessories Connector



Used high voltage Products connected , Input 1–output 3 ,  
connector length 50 cm  
Products for INDOOR & OUTDOOR AC220V~240V/50Hz  
Main cable wire 2\*0.75 mm<sup>2</sup>  
The main supply should always be disconnected before  
adding new sections and an end cap should close any open  
ends, Earth fault breaker is recommended,save these  
instrucations  
The connector For the connection between the products, in  
order to completely and perfectly decorate your Christmas  
tree or other decoration.




### Extended line


Main cable PVC wire 2\*0.5 mm<sup>2</sup>  
Used INDOOR & OUTDOOR  
DC3V~36V IP44~IP68/50Hz  
10PCS Strings dis 20cm  
Size 2.0 M  
Black clear green PVC color wire

Main cable  
Rubber wire 2\*0.75mm<sup>2</sup>  
Used INDOOR & OUTDOOR  
AC220~240V/IP44~IP68/50Hz  
10PCS Strings dis 20cm  
The main number can be Customized  
Size 2.0 M  
Black white green color wire

The main supply should always be disconnected before  
adding new sections and an end cap should close any open  
ends, Earth fault breaker is recommended,save these  
instrucations  
The connector For the connection between the products, in  
order to completely and perfectly decorate your Christmas  
tree or other decoration.



Used high voltage Products Extended line, Input 1–output 1 ,  
connector length 5 M  
Products for INDOOR & OUTDOOR AC220V~240V/50Hz  
Main cable wire 2\*0.75 mm<sup>2</sup>  
The main supply should always be  
disconnected before adding new sections and an end cap  
should close any open ends, Earth fault breaker is  
recommended,save these instrucations  
The connector For the connection between the products, in  
order to completely and perfectly decorate your Christmas  
tree or other decoration.



The main supply should always be disconnected before  
adding new sections and an end cap should close any open  
ends, Earth fault breaker  
is recommended,save these instrucations  
The connector For the connection between the products, in  
order to completely and perfectly decorate your Christmas  
tree or other decoration.






## CHRISTMASWORLD-ACCESSORIES



### Plug wire



Used high voltage Products Power Supply, length 1.5 M  
Products for OUTDOOR AC220V~240V-DC/ IP44 50Hz  
Main cable wire 2\*0.75 mm<sup>2</sup>  
Black white green color rubber wire



## LED' S Combinations Plan

### Decorate your home and garden Outdoor used one Power supply device

Such as plug (IP44~IP68 waterproof For you to choose for waterproofing of the same product and With the function of control for outdoor) Or such as Transformer (AC220~240VV/IP44~IP68 waterproof For you to choose for waterproofing of the same product)

LED lighting combination is an easy connections system, the whole combination scheme can connect 2000 LED lamp bead, only through our standard butt plugs, to achieve interconnection between products and but low pressure and high pressure product absolutely can not be connected, different structure, different color, the effect of different, different functions, the combination of combination you like. Combination of simple, of course, failure can also be quickly




### Plug wire



Used high voltage ProductsPower Supply, length 1.5 M  
Products for OUTDOOR Add controller  
AC220V~240V-DC/ IP44 50Hz  
Main cable wire 2\*0.75 mm<sup>2</sup>  
Black white green color rubber wire


Used high voltage Products Power Supply, length 1.5 M  
Products for INDOOR AC220V~240V-DC/ IP20 50Hz  
Main cable wire 2\*0.5 mm<sup>2</sup>  
Black white green color PVC wire  
OR ADD CONTROLLER



fixed.

Products Assortment

The LED products with 220~240V/50Hz high voltage in different structures used our Combinations Plan.see below it




IF you choose waterproof effect is the best, durable , must choose the best waterproof for The Combinations Plan, the products plug accessories all the best waterproof

At least IP44~IP68 plug waterproof, the rubber cable wire 2\*0.75 mm<sup>2</sup>

At least The best products, LED epoxy resin PC waterproof cap together to form a closed waterproof system,and the rubber cable wire 1\*0.5 mm<sup>2</sup>

At least the Connect mode best waterproof, Sealing rings for products and connectors, and the rubber cable wire 2\*0.75 mm<sup>2</sup>

### Decorate your house or indoor used 1 Power supply device



Such as plug (IP20 waterproof For you to choose for waterproofing of the same product and With the function of control for indoor) Or such as Transformer (AC220V~240V/IP20 waterproof For you to choose for waterproofing of the same productS)

LED lighting combination is an easy connections system, the whole combination scheme can connect 2000 LED lamp bead, only through our standard butt plugs, to achieve interconnection between products and but low pressure and high pressure product absolutely can not be connected, different structure, different color, the effect of different, different functions, the combination of combination you like.

Combination of simple, of course, failure can also be quickly fixed.

Products Assortment

The LED products with 220~240V/50Hz high voltage in different structures used our Combinations Plan.see below it

## Start the plan


Create your own lighting plan by choosing

IF you choose waterproof effect commonly, can choose ordinary waterproof for The Combinations Plan, the products plug accessories all the best waterproof

At least IP20 plug waterproof, the rubber cable wire 2\*0.5 mm<sup>2</sup>

At least The best products, LED epoxy resin PC waterproof cap together to form a closed waterproof system,and the rubber cable wire 1\*0.5 mm<sup>2</sup>

At least the Connect mode best waterproof, Sealing rings for products and connectors, and the rubber cable wire 2\*0.5 mm<sup>2</sup>







# LED Lights for Low Voltage



LED Lights For Low Voltage -----53

LED Lights With Decoration For Low Voltage -----63

LED Cooper Wire Lights For Low Voltage -----75

LED Battery Lights -----81







# LIGHTING CITY

## LED Lights For Low Voltage



The quality of our products meet the requirements of standards around the world ,  
And the cooper 、 LED all the material is the best,to create high-quality products .  
Also all the materials of products are tested by our company professional testing  
equipment qualified, high-quality materials ,  
All materials are environmentally, flame retardant materials .

The use of a wide range of this lights, For indoor decoration , house and xmas tree and your life room so on .  
The Lights is based on the size of the size you need to decorate the position to choose the parameters of the  
string you need, such as the number of bulbs, spacing, etc.

Products can be customized information :

LED color : white、 warm、 red、 yellow、 blue、 green、 volite、 pink、 RGB、 changing color and so on



LED spec : Round 、 Concave so on  
Wire spec : 1\*0.15 mm2~0.18 mm2 for battery  
lights ; 1\*0.20mm2 for low voltage lights  
Wire color : green , clear , white , black and so on  
Bulbs/strings distance : 5~30 cm and so on  
Decoration length : 1–100 m  
Connected : YES or NO  
Battery spec : Square or round /IP20/IP44 so on ; for  
indoor and outdoor  
Transformer type: 3~36V IP20/IP44 ; for indoor and  
outdoor  
Transformer funcations : Routine、 Built-in  
controller (IC)、 Built-in timer、 Built-in controller  
and timer、 Bluetooth、 remote and so on.  
Packaging : colorbox or card, and PVC box



**IN THE SILENT NIGHT , ONLY THE LIGHTING CAN  
BRING YOU WARMTH , LIVELY AND HOPE .  
EMBELLISHMENT OF YOUR LIFE , TO BRING  
HOPE TO THE FUTURE .**





## CHRISTMASWORLD-INDOOR/OUTDOOR




**140+EC LED Straight Lights**  
With Transformer DC31V/6W

- Certificate type :\*\*\*\*\*
- 021-231
- Multicolor



LED spec :  $\phi 5/\phi 3$  mm LED  
The LED bulbs between distance 10 cm  
Decoration L14.0m  
Lead wire length 5 m  
Wire type/spec green PVC wire/1\*0.2mm<sup>2</sup>  
Plug Lead wire spec 2\*0.2 mm PVC wire  
Supply for AC230V-DC31V/6W/IP44/50Hz  
Bulbs spec 3V/20mA 0.06W  
Connected : YES  
Packaging colorbox 12 pcs per cartons  
0.05 cbm/ctn



or




**200+EC LED Straight Lights**  
With Transformer DC31V/6W

- Certificate type :\*\*\*\*\*
- 021-241
- Multicolor




LED spec :  $\phi 5/\phi 3$  mm LED  
The LED bulbs between distance 10 cm  
Decoration L20.0m  
Lead wire length 5 m  
Wire type/spec clear PVC wire/1\*0.2mm<sup>2</sup>  
Plug Lead wire spec 2\*0.2 mm PVC wire  
Supply for AC230V-DC31V/6W/IP44/50Hz  
Bulbs spec 3V/20mA 0.06W  
Connected : YES  
Packaging colorbox 12 pcs per cartons  
0.05 cbm/ctn



OR CHANGED THE TRANSFORMER

Built-in Control   Built-in Timer   Built-in Control (Remote)   Built-in Bluetooth




**100+EC LED Straight Lights+20% flashed**  
With Transformer DC31V/6W

- Certificate type :\*\*\*\*\*
- 021-217
- Pink




LED spec :  $\phi 5/\phi 3$  mm LED  
The LED bulbs between distance 10 cm  
Decoration L10.0m  
Lead wire length 5 m  
Flash : choose 10%~100% 1/8 Hz Flashed LED  
Wire type/spec clear wire/1\*0.2mm<sup>2</sup>  
Plug wire spec 2\*0.2 mm<sup>2</sup> PVC wire  
Supply for AC230V-DC31V/6W/IP44/50Hz  
Bulbs spec 3V/20mA 0.06W  
Connected : YES  
Packaging colorbox 12 pcs per cartons  
0.05 cbm/ctn



or

OR CHANGED THE TRANSFORMER

Built-in Control   Built-in Timer   Built-in Control (Remote)   Built-in Bluetooth




**180+EC LED Straight Lights+20% flashed**  
With Transformer DC31V/6W

- Certificate type :\*\*\*\*\*
- 021-252
- White



LED spec :  $\phi 5/\phi 3$  mm LED  
The LED bulbs between distance 10 cm  
Decoration L18.0m  
Lead wire length 5 m  
Flash : choose 10%~100% 1/8 Hz Flashed LED  
Wire type/spec clear PVC wire/1\*0.2mm<sup>2</sup>  
Plug wire spec 2\*0.2 mm<sup>2</sup> PVC wire  
Supply for AC230V-DC31V/6W/IP44/50Hz  
Bulbs spec 3V/20mA 0.06W  
Connected : YES  
Packaging colorbox 12 pcs per cartons  
0.05 cbm/ctn







## CHRISTMASWORLD-INDOOR/OUTDOOR





### 60+EC LED Icicle Lights With Transformer DC31V/6W (7LED-3LED-6LED-4LED-7LED.....)

- Certificate type :\*\*\*\*\*
- 021-308
- Warm



LED spec :  $\phi 5/\phi 3$  mm LED  
The LED bulbs between distance 10 cm  
String distance : 25 cm  
Decoration L2.75m x H0.70 m  
Lead wire length 5 m  
Wire type/spec green PVC wire/1\*0.2mm<sup>2</sup>  
Plug wire spec 2\*0.2 mm<sup>2</sup> PVC wire  
Supply for AC230V-DC31V/6W/IP44/50Hz  
Bulbs spec 3V/20mA 0.06W  
Packaging colorbox 24 pcs per cartons  
0.04 cbm/ctn




### 80+EC LED Icicle Lights +20% Flashed With Transformer DC31V/6W (7LED-3LED-6LED-4LED-7LED.....)

- Certificate type :\*\*\*\*\*
- 021-316
- Blue



LED spec :  $\phi 5/\phi 3$  mm LED  
The LED bulbs between distance 10 cm  
String distance : 25 cm  
Decoration L3.75m x H0.70 m  
Lead wire length 5 m  
Flash : 10%~100% 1/8 Hz Flashed LED  
Wire type/spec green PVC wire/1\*0.2mm<sup>2</sup>  
Plug wire spec 2\*0.2 mm<sup>2</sup> PVC wire  
Supply for AC230V-DC31V/6W/IP44/50Hz  
Bulbs spec 3V/20mA 0.06W  
Packaging colorbox 24 pcs per cartons  
0.06 cbm/ctn



OR CHANGED THE TRANSFORMER

Built-in Control Built-in Timer Built-in Control (Remote) Built-in Bluetooth




### 400+EC LED Curtain Lights With Transformer DC31V/8W(20S/5m x 10LED/1m)

- Certificate type :\*\*\*\*\*
- 021-902
- White




LED spec :  $\phi 5/\phi 3$  mm LED  
The LED bulbs between distance 10 cm  
String distance : 25 cm  
Decoration L5.0m x H1.0 m  
Lead wire length 5 m  
Main cable : NO green PVC wire2\*0.2mm<sup>2</sup>  
Plug wire spec 2\*0.2 mm<sup>2</sup> PVC wire  
Supply for AC230V-DC31V/8W/IP44/50Hz  
Bulbs spec 3V/20mA 0.06W  
Connected : YES or NO  
Packaging colorbox 12 pcs per cartons  
0.06 cbm/ctn



OR CHANGED THE TRANSFORMER

Built-in Control Built-in Timer Built-in Control (Remote) Built-in Bluetooth




### 400+EC LED Curtain Lights+20% Flashed With Transformer DC31V/8W (20S/5m x 10LED/1m) Main cable

- Certificate type :\*\*\*\*\*
- 021-918
- Warm




LED spec :  $\phi 5/\phi 3$  mm LED  
The LED bulbs between distance 10 cm  
String distance : 25 cm  
Decoration L5.0m x H1.0 m  
Lead wire length 5 m  
Flash : 10%~100% 1/8 Hz Flashed LED  
Main cable :Yes green PVC wire/2\*0.2mm<sup>2</sup>  
Plug wire spec 2\*0.2 mm<sup>2</sup> PVC wire  
Supply for AC230V-DC31V/8W/IP44/50Hz  
Bulbs spec 3V/20mA 0.06W  
Connected : YES or NO  
Packaging colorbox 12 pcs per cartons  
0.06 cbm/ctn







## CHRISTMASWORLD-INDOOR/OUTDOOR




### 280+EC LED Firecrackers Lights +20% Flashed With Transformer DC/31V/8.4W

- Certificate type :\*\*\*\*\*
- 021-706
- BLUE LED



Lead wire length 3m  
LED between distance 5 cm  
Wire spec 1\*0.2 mm<sup>2</sup> black PVC wire  
12 Pcs per carton  
0.05 cbm/ctn




### 576+EC LED Firecrackers Lights +20% Flashed With Transformer DC/31V/8.4W

- Certificate type :\*\*\*\*\*
- 021-718
- WARM LED



Lead wire length 5m  
LED between distance 5 cm  
Wire spec 1\*0.2 mm<sup>2</sup> black PVC wire  
12 Pcs per carton  
0.07 cbm/ctn




OR CHANGED THE TRANSFORMER

Built-in Control

Built-in Timer

Built-in Control (Remote)

Built-in Bluetooth



THE LED LIGHTS USED OUTDOOR WITH LOW VOLTAGE  
The true sense of the water level Ip44 (waterproof cap glue)




### 100+EC LED Straight Lights With 31V/6W/IP44 (or IC add function or timer)

- Certificate type :\*\*\*\*\*
- 022-202
- WHITE LED



Lead wire length 5 m ; LED distance 10 cm  
Green PVC wire 1\*0.2 mm<sup>2</sup>  
Packaging colorbox 24 pcs per carton  
0.05 cbm/ctn



### 100+EC LED Straight Lights With 31V/6W/IP44 (or IC add function or timer)

- Certificate type :\*\*\*\*\*
- 022-203
- RED LED



Lead wire length 5 m ; LED distance 10 cm  
Green PVC wire 1\*0.2 mm<sup>2</sup>  
Packaging colorbox 24 pcs per carton  
0.05 cbm/ctn







## CHRISTMASWORLD-INDOOR/OUTDOOR

THE LED LIGHTS USED OUTDOOR WITH LOW VOLTAGE  
The true sense of the water level IP44(waterproof cap glue)





### 100+EC LED Straight Lights+20% Flash With 31V/6W/IP44 (or IC add function or timer)

- Certificate type :\*\*\*\*\*
- 020-219
- WHITE LED



Lead wire length 5 m ; LED distance 10 cm  
Green PVC wire 1\*0.2 mm<sup>2</sup>  
Packaging colorbox 24 pcs per carton  
0.05 cbm/ctn




### 100+EC LED Straight Lights+20% Flash With 31V/6W/IP44 (or IC add function or timer)

- Certificate type :\*\*\*\*\*
- 020-217
- RED LED



Lead wire length 5 m ; LED distance 10 cm  
Green PVC wire 1\*0.2 mm<sup>2</sup>  
Packaging colorbox 24 pcs per carton  
0.05 cbm/ctn




### 180+EC LED Net Lights With Transformer 31V

- Certificate Type :\*\*\*\*\*
- 014-001
- Multicolor



Used INDOOR & OUTDOOR  
Lead wire clear PVC wire 2x0.2mm<sup>2</sup> / 5M  
12 pcs per colorbox





### 180+EC LED Net Lights With Transformer 31V

- Certificate Type :\*\*\*\*\*
- 014-006
- Blue



Used INDOOR & OUTDOOR  
Lead wire clear PVC wire 2x0.2mm<sup>2</sup> / 5M  
12 pcs per colorbox




### 180+EC LED Net Lights With Transformer 31V

- Certificate Type :\*\*\*\*\*
- 014-002
- White



Used INDOOR & OUTDOOR  
Lead wire clear PVC wire 2x0.2mm<sup>2</sup> / 5M  
12 pcs per colorbox



### 180+EC LED Net Lights With Transformer 31V

- Certificate Type :\*\*\*\*\*
- 014-008
- Warm







Used INDOOR & OUTDOOR  
Lead wire clear PVC wire 2x0.2mm<sup>2</sup> / 5M  
12 pcs per colorbox








## LED Lights With **Decoration** For **Low Voltage**







## CHRISTMASWORLD-DECORATION




**100+EC LED+  $\phi$  1.8cm Ball Lights With Transformer DC/31V/6W**

- Certificate type :\*\*\*\*\*
- 011-601
- Multicolor



Lead wire length 5m  
LED between distance 10 cm  
Wire spec 1\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
0.05 cbm/ctn



OR CHANGED THE TRANSFORMER

Built-in Control

Built-in Timer

Built-in Control (Remote)

Built-in Bluetooth




**100+EC LED+  $\phi$  1.8cm Ball Lights With Transformer DC/31V/6W**

- Certificate type :\*\*\*\*\*
- 011-603
- Red



Lead wire length 5m  
LED between distance 10 cm  
Wire spec 1\*0.2 mm<sup>2</sup> green PVC wire  
12 Pcs per carton  
0.05 cbm/ctn



**100+EC LED+  $\phi$  1.8cm Ball Lights With Transformer DC/31V/6W**

- Certificate type :\*\*\*\*\*
- 001-606
- Green



Lead wire length 5m  
LED between distance 10 cm  
Wire spec 1\*0.2 mm<sup>2</sup> green PVC wire  
12 Pcs per carton  
0.05 cbm/ctn




OR CHANGED THE TRANSFORMER

Built-in Control

Built-in Timer

Built-in Control (Remote)

Built-in Bluetooth




**100+EC LED+  $\phi$  1.8cm Ball Lights With Transformer DC/31V/6W**

- Certificate type :\*\*\*\*\*
- 011-609
- Green



Lead wire length 5m  
LED between distance 10 cm  
Wire spec 1\*0.2 mm<sup>2</sup> green PVC wire  
12 Pcs per carton  
0.05 cbm/ctn



**100+EC LED+  $\phi$  1.8cm Ball Lights With Transformer DC/31V/6W**

- Certificate type :\*\*\*\*\*
- 011-607
- Pink



Lead wire length 5m  
LED between distance 10 cm  
Wire spec 1\*0.2 mm<sup>2</sup> green PVC wire  
12 Pcs per carton  
0.05 cbm/ctn







## X-MAS TREE TOP LIGHTS

### 16 LED+22cm Star Digital Lights With Transformer AC/31V/6W

- Certificate type :\*\*\*\*\*
- 010-101
- Multicolor



Lead wire length 5m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
0.04 cbm/ctn





### 16 LED+22cm Star Digital Lights With Transformer AC/31V/6W

- Certificate type :\*\*\*\*\*
- 010-102
- Warm



Lead wire length 5m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
0.04 cbm/ctn




### 16 LED+22cm Star Window Decoration Lights With Transformer DC/31V/6W

- Certificate type :\*\*\*\*\*
- 010-301
- Multicolor



Lead wire length 5m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
0.04 cbm/ctn



### 16 LED+22cm Star Window Decoration Lights With Transformer DC/31V/6W

- Certificate type :\*\*\*\*\*
- 010-301
- Warm



Lead wire length 5m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
0.04 cbm/ctn







## CHRISTMASWORLD-DECORATION



### 72+EC LED+Windows Lights With Transformer DC/31V/6W

- Certificate type :\*\*\*\*\*
- 021-601
- Multicolor



Lead wire length 5m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
0.05 cbm/ctn




### 72+EC LED+Windows Lights With Transformer DC/31V/6W

- Certificate type :\*\*\*\*\*
- 021-602
- White



Lead wire length 5m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
0.05 cbm/ctn



### 25+EC LED+Windows Lights With Transformer DC/31V/6W

- Certificate type :\*\*\*\*\*
- 021-611
- Multicolor



Lead wire length 5m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
0.05 cbm/ctn




### 25+EC LED+Windows Lights With Transformer DC/31V/6W

- Certificate type :\*\*\*\*\*
- 021-618
- Warm



Lead wire length 5m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
0.05 cbm/ctn





OR CHANGED THE TRANSFORMER

Built-in Controller

Built-in Timer

Built-in Controller (Remote)




### 100+EC LED+Windows Lights With Transformer DC/31V/6W

- Certificate type :\*\*\*\*\*
- 022-616
- Blue



Lead wire length 5m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
Lights wire spec ; 1\*0.2 mm<sup>2</sup>  
Big Star Size :  $\phi$  20 cm  
Connected : YES  
Max connected number : 10 pcs  
0.05 cbm/ctn



OR CHANGED THE TRANSFORMER

Built-in Controller

Built-in Timer

Built-in Controller (Remote)

### 100+EC LED+Windows Lights With Transformer DC/31V/6W

- Certificate type :\*\*\*\*\*
- 022-608
- Warm



Lead wire length 5m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
Lights wire spec ; 1\*0.2 mm<sup>2</sup>  
Small Star Size :  $\phi$  7 cm  
Big Star Size :  $\phi$  20 cm  
Connected : YES  
Max connected number : 10 pcs  
0.05 cbm/ctn



### 100+EC LED+Windows Lights With Transformer DC/31V/6W

- Certificate type :\*\*\*\*\*
- 022-618
- Warm




Lead wire length 5m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
Lights wire spec ; 1\*0.2 mm<sup>2</sup>  
Big Star Size :  $\phi$  20 cm  
Connected : YES  
Max connected number : 10 pcs  
0.05 cbm/ctn







## CHRISTMASWORLD-DECORATION




### 50+EC LED+Star Windows Lights With Transformer DC/31V/6W

- Certificate type :\*\*\*\*\*
- 021-631
- Multicolor



Lead wire length 5m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
0.05 cbm/ctn





### 50+EC LED+Angle Windows Lights With Transformer DC/31V/6W

- Certificate type :\*\*\*\*\*
- 021-661
- Multicolor



Lead wire length 5m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
0.05 cbm/ctn




### 50+EC LED+Bell Windows Lights With Transformer DC/31V/6W

- Certificate type :\*\*\*\*\*
- 021-642
- White



Lead wire length 5m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
0.05 cbm/ctn




### 50+EC LED+Tree Windows Lights With Transformer DC/31V/6W

- Certificate type :\*\*\*\*\*
- 021-652
- White



Lead wire length 5m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
0.05 cbm/ctn




OR CHANGED THE TRANSFORMER

Built-in Controller

Built-in Timer

Built-in Controller (Remote)





### 70+EC LED+ Star Windows Lights With Transformer DC/31V/6W

- Certificate type :\*\*\*\*\*
- 021-621
- Multicolor



Lead wire length 5m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
0.05 cbm/ctn



### 70+EC LED+ Star Windows Lights With Transformer DC/31V/6W

- Certificate type :\*\*\*\*\*
- 021-622
- White



Lead wire length 5m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
0.05 cbm/ctn



OR CHANGED THE TRANSFORMER

Built-in Controller

Built-in Timer

Built-in Controller (Remote)





## CHRISTMASWORLD-DECORATION




### 30 LED+ Beer Lights Transformer DC/3.2V/2W

- Certificate type :\*\*\*\*\*
- 010-701
- Multicolor



Lead wire length 3m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> green PVC wire  
12 Pcs per carton  
0.07 cbm/ctn




### 30 LED+ Snow Lights Transformer DC/3.2V/2W

- Certificate type :\*\*\*\*\*
- 010-742
- White



Lead wire length 3m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> green PVC wire  
12 Pcs per carton  
0.04 cbm/ctn





### 30 LED+ 2D Star Lights Transformer DC/3.2V/2W

- Certificate type :\*\*\*\*\*
- 010-732
- White



Lead wire length 3m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> green PVC wire  
12 Pcs per carton  
0.04 cbm/ctn



OR CHANGED THE TRANSFORMER

Built-in Controller

Built-in Timer

Built-in Controller (Remote)





### 30 LED+ Icicle Lights Transformer DC/3.2V/2W

- Certificate type :\*\*\*\*\*
- 010-706
- Blue



Lead wire length 3m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> green PVC wire  
12 Pcs per carton  
0.06 cbm/ctn




### 30 LED+ $\phi$ 4cm Ball Lights Transformer Control DC/3.2V/2W

- Certificate type :\*\*\*\*\*
- 010-761
- Multicolor



Lead wire length 3m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
0.06 cbm/ctn



OR CHANGED THE TRANSFORMER

Built-in Controller

Built-in Timer

Built-in Controller (Remote)




### 30 LED+ Star Lights Transformer DC/3.2V/2W

- Certificate type :\*\*\*\*\*
- 010-751
- Multicolor



Lead wire length 3m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> green PVC wire  
12 Pcs per carton  
0.05 cbm/ctn




### 30+EC LED+ $\phi$ 6cm Ball Lights Transformer Timer DC/3.2V/2W

- Certificate type :\*\*\*\*\*
- 010-778
- Warm



Lead wire length 3m  
Lead Wire spec 2\*0.2 mm<sup>2</sup> clear PVC wire  
12 Pcs per carton  
0.05 cbm/ctn




Timer






## LED Cooper Wire Lights For Low Voltage







## CHRISTMASWORLD-LED CASCADE




**288 LED Cooper Wire Lights Transformer**  
DC/12V/8W(24LED x 12Strings) OUTDOOR

- Certificate type :\*\*\*\*\*
- 010-052
- White



Decoration length 2.4 m ,Lead wire length 3 m  
Supply AC230-DC12V/8W/IP44/50Hz  
Lead Wire spec 2\*0.5 mm<sup>2</sup> Black PVC wire  
12 Pcs per carton  
0.04 cbm/ctn





**288 LED Cooper Wire Lights Transformer**  
DC/12V/8W(24LED x 12Strings) OUTDOOR

- Certificate type :\*\*\*\*\*
- 010-051
- Multicolor



Decoration length 2.4 m ,Lead wire length 3 m  
Supply AC230-DC12V/8W/IP44/50Hz  
Lead Wire spec 2\*0.5 mm<sup>2</sup> Black PVC wire  
12 Pcs per carton  
0.04 cbm/ctn



**288 LED Cooper Wire Lights Transformer**  
DC/12V/8W(24LED x 12Strings) OUTDOOR

- Certificate type :\*\*\*\*\*
- 010-058
- Warm



Decoration length 2.4 m ,Lead wire length 3 m  
Supply AC230-DC12V/8W/IP44/50Hz  
Lead Wire spec 2\*0.5 mm<sup>2</sup> Black PVC wire  
12 Pcs per carton  
0.04 cbm/ctn




**288 LED Cooper Wire Lights Transformer**  
DC/12V/8W(24LED x 12Strings) OUTDOOR

- Certificate type :\*\*\*\*\*
- 010-053
- Red



Decoration length 2.4 m ,Lead wire length 3 m  
Supply AC230-DC12V/8W/IP44/50Hz  
Lead Wire spec 2\*0.5 mm<sup>2</sup> Black PVC wire  
12 Pcs per carton  
0.04 cbm/ctn




**120 LED Cooper Wire Lights+Flash Transformer**  
DC/6V/6W(12LED x 10Strings) OUTDOOR

- Certificate type :\*\*\*\*\*
- 010-061
- Red/White flash



Decoration length 1.2 m ,Lead wire length 3 m  
Supply AC230-DC6V/6W/IP44/50Hz  
Lead Wire spec 2\*0.5 mm<sup>2</sup> Black PVC wire  
12 Pcs per carton  
0.03 cbm/ctn




**120 LED Cooper Wire Lights+Flash Transformer**  
DC/6V/6W(12LED x 10Strings) OUTDOOR

- Certificate type :\*\*\*\*\*
- 010-066
- Blue/White flash



Decoration length 1.2 m ,Lead wire length 3 m  
Supply AC230-DC6V/6W/IP44/50Hz  
Lead Wire spec 2\*0.5 mm<sup>2</sup> Black PVC wire  
12 Pcs per carton  
0.03 cbm/ctn




**120 LED Cooper Wire Lights+Flash Transformer**  
DC/6V/6W(12LED x 10Strings) OUTDOOR

- Certificate type :\*\*\*\*\*
- 010-062
- White/White flash



Decoration length 1.2 m ,Lead wire length 3 m  
Supply AC230-DC6V/6W/IP44/50Hz  
Lead Wire spec 2\*0.5 mm<sup>2</sup> Black PVC wire  
12 Pcs per carton  
0.03 cbm/ctn







## CHRISTMASWORLD-LED CASCADE




**576 LED Cooper Wire Lights+Decoration With transformer DC 12V/8.4W OUTDOOR**

- Certificate type :\*\*\*\*\*
- 010-071
- Multicolor



24LED/2.4M x 24 Strings  
Decoratin length 2.4 M  
Lead wire length 3M  
LED distance 10 cm  
Clear PVC wire 2\*0.2 mm<sup>2</sup>  
Decoration spec Various small pendants  
12 pcs per cartons  
0.05cdm/ctn



**576 LED Cooper Wire Lights+Decoration With transformer DC 12V/8.4W OUTDOOR**





- Certificate type :\*\*\*\*\*
- 010-078
- Warm



24LED/2.4M x 24 Strings  
Decoratin length 2.4 M  
Lead wire length 3M  
LED distance 10 cm  
Clear PVC wire 2\*0.2 mm<sup>2</sup>  
Decoration spec Various small pendants  
12 pcs per cartons  
0.05cdm/ctn



## Accessories



## Connector

Used high voltage Products connected , Input 1—output 3 , connector length 50 cm  
Products for INDOOR & OUTDOOR AC/DC 3V~36V/50Hz  
Main cable wire 2\*0.5 mm<sup>2</sup>  
The main supply should always be disconnected before adding new sections and an end cap should close any open ends, Earth fault breaker is recommended,save these instructions  
The connector For the connection between the products, in order to completely and perfectly decorate your Christmas tree or other decoration.  
Packaging card + Plastic bag ; 12 pcs per carton ; 0.02 cbm/ctn

Used high voltage Products connected , Input 1—output 2 , connector size L50 cm x 20 cm  
Products for INDOOR & OUTDOOR AC/DC 3V~36V/50Hz  
Main cable wire 2\*0.5 mm<sup>2</sup>  
The main supply should always be disconnected before adding new sections and an end cap should close any open ends, Earth fault breaker is recommended,save these instructions  
The connector For the connection between the products, in order to completely and perfectly decorate your Christmas tree or other decoration.  
Packaging card + Plastic bag  
12 pcs per carton  
0.02 cbm/ctn

## MAIN CABLE



Main cable PVC wire 2\*0.5 mm<sup>2</sup>  
Used INDOOR & OUTDOOR  
DC3V~36V IP44~IP68/50Hz  
10PCS Strings dis 20cm  
Size 2.0 M  
Black clear green PVC color wire  
12 pcs per carton  
0.035 cbm/ctn

The main supply should always be disconnected before adding new sections and an end cap should close any open ends, Earth fault breaker is recommended,save these instructions The connector For the connection between the products, in order to completely and perfectly decorate your Christmas tree or other decoration.





## CHRISTMASWORLD-LED CASCADE



### Extended line

Used high voltage Products Extended line, Input 1–output 1 , connector length 5 M

Products for INDOOR & OUTDOOR AC220V~240V/50Hz

Main cable wire 2\*0.75 mm<sup>2</sup>

The main supply should always be disconnected before adding new sections and an end cap should close any open ends, Earth fault breaker is recommended, save these instructions

The connector For the connection between the products, in order to completely and perfectly decorate your Christmas tree or other decoration.

Black white green color rubber wire

Packaging card + Plastic bag

12 pcs per carton

0.03 cbm/ctn

5 M

## LED' S Combinations Plan

### The easiest way to lighten your home and garden used a Wireless remote control

With wireless control your lighting system, on condition that all light used transformer connected together, and transformer have timer and 8 function . remote control have OFF/ON and 6 hour control and function control and brightness control, the transformer and remote control together make up the powerful system .

Press timer only once. The lights will light up automatically 6 hours a day, every day at the same time.

Suitable for indoor and outdoor used


Available in steady and with 8 twinkle functions

Twinkle lights Twinkle icicle lights Curtain lights Rice lights

Twinkle cluster lights Twinkle net lights Boxhedge netlights

Branch lights

The lights Transformer must support remote and 8 function otherwise not realize




## LED Battery Lights







## CHRISTMASWORLD-BATTERY




### 10 LED+Star Battery Lights 2xAA (orLR44)

- Certificate type :\*\*\*\*\*
- 010-012-1
- Multicolor



Square battery box/Indoor  
Lamp distance 10 cm  
24 pcs per colorbox  
6 colorbox per carton  
0.06 cbm/ctn




### 10 LED+Star Battery Lights 2xAA (orLR44)

- Certificate type :\*\*\*\*\*
- 010-012-2
- White



Square battery box/Indoor  
Lamp distance 10 cm  
24 pcs per colorbox  
6 colorbox per carton  
0.06 cbm/ctn



### 10 LED+Star Battery Lights 2xAA (orLR44)

- Certificate type :\*\*\*\*\*
- 010-012-3
- Green



Square battery box/Indoor  
Lamp distance 10 cm  
24 pcs per colorbox  
6 colorbox per carton  
0.06 cbm/ctn





### 20 LED+Star Battery Lights 3xAAA (orLR44)

- Certificate type :\*\*\*\*\*
- 010-201
- Multicolor



Round battery box/Indoor  
Lamp distance 10 cm  
24 pcs per colorbox  
6 colorbox per carton  
0.06 cbm/ctn





### 1 LED+PMMA Star Battery Lights 3xAAA Sucker (Adsorption window)

- Certificate type :\*\*\*\*\*
- 010-402
- White



Changing color / white LED  
Round battery box/Indoor  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.04 cbm/ctn



### 1 LED PMMA Star Battery Lights LR44

- Certificate type :\*\*\*\*\*
- 010-412-1
- White



CR44 batteries  
Lead wire 30 cm  
24 pcs per colorbox carton  
0.04 cbm/ctn




### 1 LED+PMMA Star Battery Lights 3xAAA Sucker (Adsorption window)

- Certificate type :\*\*\*\*\*
- 010-409
- Multicolor



Changing color / white LED  
Round battery box/Indoor  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.04 cbm/ctn



### 1 LED PMMA Star Battery Lights LR44

- Certificate type :\*\*\*\*\*
- 010-412-2
- White



CR44 batteries  
Lead wire 30 cm  
24 pcs per colorbox carton  
0.04 cbm/ctn





## CHRISTMASWORLD-BATTERY



### 30 LED+Butterfly Battery Lights 2xAA

- Certificate type :\*\*\*\*\*
- 010-021
- Multicolor



2xAA Batteries  
Square battery box/Indoor  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.035 cbm/ctn



### 30 LED+Butterfly Battery Lights 2xAA

- Certificate type :\*\*\*\*\*
- 010-029
- Green



2xAA Batteries  
Square battery box/Indoor  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.035 cbm/ctn



### 30 LED+Butterfly Battery Lights 2xAA

- Certificate type :\*\*\*\*\*
- 010-023
- Red



2xAA Batteries  
Square battery box/Indoor  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.035 cbm/ctn




### 30 LED+Butterfly Battery Lights 2xAA

- Certificate type :\*\*\*\*\*
- 010-024
- Pink



2xAA Batteries  
Square battery box/Indoor  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.035 cbm/ctn



### 30 LED+Snow Battery Lights 2xAA

- Certificate type :\*\*\*\*\*
- 010-032
- White



2xAA Batteries  
Square battery box/Indoor  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.035 cbm/ctn



### 30 LED+Snow Battery Lights 2xAA

- Certificate type :\*\*\*\*\*
- 010-031
- Multicolor



2xAA Batteries  
Square battery box/Indoor  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.035 cbm/ctn



### 30 LED+Star Battery Lights 2xAA

- Certificate type :\*\*\*\*\*
- 010-022
- White



2xAA Batteries  
Square battery box/Indoor  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.035 cbm/ctn




### 30 LED+Star Battery Lights 2xAA

- Certificate type :\*\*\*\*\*
- 010-027
- Yellow




2xAA Batteries  
Square battery box/Indoor  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.035 cbm/ctn







## CHRISTMASWORLD-BATTERY




### 20 LED Cooper Wire Battery Lights 2xAA / LR44 (Square or Button battery box) INDOOR

- Certificate type :\*\*\*\*\*
- 010-043
- Red



Decoration length 2 M  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.025 cbm/ctn





### 20 LED Cooper Wire Battery Lights LR44 (Square or Button battery box) INDOOR

- Certificate type :\*\*\*\*\*
- 010-412
- White



Decoration length 2 M  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.025 cbm/ctn



### 20 LED Cooper Wire Battery Lights 2xAA / LR44 (Square or Button battery box) INDOOR

- Certificate type :\*\*\*\*\*
- 010-048
- Warm



Decoration length 2 M  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.025 cbm/ctn




### 20 LED Cooper Wire Battery Lights LR44 (Square or Button battery box) INDOOR

- Certificate type :\*\*\*\*\*
- 010-418
- Warm



Decoration length 2 M  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.025 cbm/ctn




### 20 LED Cooper Wire Battery Lights 3xAA (Square battery box) OUTDOOR

- Certificate type :\*\*\*\*\*
- 010-148
- Warm



Decoration length 2 M  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.025 cbm/ctn




### 20 LED Cooper Wire Battery Lights 3xAA(Square battery box) 8 Funcation Controller OUTDOOR

- Certificate type :\*\*\*\*\*
- 010-148-1
- White



Decoration length 2 M  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.025 cbm/ctn



### 20 LED Cooper Wire Battery Lights 3xAA (Square battery box) OUTDOOR

- Certificate type :\*\*\*\*\*
- 010-248
- Warm



Decoration length 2 M  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.025 cbm/ctn



### 20 LED Cooper Wire Battery Lights 3xAA(Square battery box) 8 Funcation Controller OUTDOOR

- Certificate type :\*\*\*\*\*
- 010-148-2
- Red



Decoration length 2 M  
Lead wire length 20 cm  
24 pcs per colorbox carton  
0.025 cbm/ctn




Waterproof





## CHRISTMASWORLD-BATTERY




### 11 LED Star Battery Star Lights 3xAAA INDOOR

- Certificate type :\*\*\*\*\*
- 010-501
- Multicolor



Multicolor / white / warm LED  
Lead wire length 20 cm  
24 pcs per colorbox carton / 0.03 cbm/ctn




### 11 LED Star Battery Tree Lights 3xAAA INDOOR

- Certificate type :\*\*\*\*\*
- 010-511
- Multicolor



Multicolor / white / warm LED  
Lead wire length 20 cm  
24 pcs per colorbox carton / 0.03 cbm/ctn




### 14 LED Star Icicle Battery Lights 3xAAA (Round battery box) INDOOR

- Certificate type :\*\*\*\*\*
- 010-602
- White



Decoration L1 m x H 0.4 m  
Lead wire length 20 cm  
24 pcs per colorbox carton / 0.03 cbm/ctn




### 11 LED Star Battery Bell Lights 3xAAA INDOOR

- Certificate type :\*\*\*\*\*
- 010-521
- Multicolor



Multicolor / white / warm LED  
Lead wire length 20 cm  
24 pcs per colorbox carton / 0.03 cbm/ctn




### 11 LED Star Battery Angel Lights 3xAAA INDOOR

- Certificate type :\*\*\*\*\*
- 010-531
- Multicolor



Multicolor / white / warm LED  
Lead wire length 20 cm  
24 pcs per colorbox carton / 0.03 cbm/ctn



### 14 LED Star Icicle Battery Lights 3xAAA (Round battery box) INDOOR

- Certificate type :\*\*\*\*\*
- 010-606
- Blue



Decoration L1 m x H 0.4 m  
Lead wire length 20 cm  
24 pcs per colorbox carton / 0.03 cbm/ctn



10 LED C6 PE Battery Lights  
2xAA multicolor LED



10 LED φ4cm Ball Battery Lights  
2AA multicolor LED



10 LED φ4cm Crackle Ball Battery Lights  
2AA multicolor LED




10 LED C6 PE Battery Lights  
2xAA warm LED



10 LED φ4cm lemon Battery Lights  
2AA Warm LED



10 LED lantern Battery Lights  
2AA multicolor LED







## CHRISTMASWORLD-BATTERY



10 LED Tree Woodiness Battery Lights  
2AA white LED



10 LED Star Woodiness Battery Lights  
2AA white LED




10 LED Heart Woodiness Battery Lights  
2AA white LED



10 LED G60 Battery Lights  
2AA White LED



10 LED G40 Battery Lights  
2AAmulticolor LED



**10 LED Star Desk Battery Lights 3xAA**

- Certificate type :\*\*\*\*\*
- 010-902
- White



Multicolor / white LED  
High 50 cm



**10 LED Snowman Desk Battery Lights 3xAA**

- Certificate type :\*\*\*\*\*
- 010-922
- White



Multicolor / white LED  
High 50 cm



**10 LED Tree Desk Battery Lights 3xAA**

- Certificate type :\*\*\*\*\*
- 010-912
- White



Multicolor / white LED  
High 50 cm



**10 LED Deer Desk Battery Lights 3xAA**

- Certificate type :\*\*\*\*\*
- 010-501
- White



Multicolor / white LED  
High 50 cm







# CHRISTMASWORLD-BATTERY

1 LED Button with sucker battery lights  
LR44  
Changing color or white and All color  
PMMA pendant / Size 10 cm / PVC box



## 60 LED Straight Battery Lights

- Certificate type :\*\*\*\*\*
- 013-123
- Red



Waterproof used outdoor  
Green PVC wire 1\*0.2 mm<sup>2</sup>  
Lead wire length 30 cm  
Between distance 10 cm  
Packaging colorbox 12 pcs per carton  
0.03 cbm/ctn




## 60 LED Straight Battery Lights

- Certificate type :\*\*\*\*\*
- 013-129
- Green



Waterproof used outdoor  
Green PVC wire 1\*0.2 mm<sup>2</sup>  
Lead wire length 30 cm  
Between distance 10 cm  
Packaging colorbox 12 pcs per carton  
0.03 cbm/ctn




OR CHANGED BATTERY BOX

Built-in Controller

Built-in Timer (Remote)

Built-in Controller and Timer

www.zhuguang-sh.com



## 60 LED Straight Battery Lights

- Certificate type :\*\*\*\*\*
- 013-126
- Blue



Waterproof used outdoor  
Green PVC wire 1\*0.2 mm<sup>2</sup>  
Lead wire length 30 cm  
Between distance 10 cm  
Packaging colorbox 12 pcs per carton  
0.03 cbm/ctn




## 60 LED Straight Battery Lights

- Certificate type :\*\*\*\*\*
- 013-127
- Pink



Waterproof used outdoor  
Green PVC wire 1\*0.2 mm<sup>2</sup>  
Lead wire length 30 cm  
Between distance 10 cm  
Packaging colorbox 12 pcs per carton  
0.03 cbm/ctn







## 1 LED Candle Battery Lights

- Certificate Type :\*\*\*\*\*
- 011-001
- Warm



Classic Milky white, Portable  
Used indoor  
Diameter  $\phi$  7.5 cm  
External high 7.5 cm  
Batteries 3xAAA  
12 pcs per colorbox



## 1 LED Candle Battery Lights

- Certificate Type :\*\*\*\*\*
- 011-021
- Warm



Classic Milky white, Portable  
Used indoor  
Diameter  $\phi$  7.5 cm  
External high 15 cm  
Batteries 3xAAA  
12 pcs per colorbox



## 1 LED Candle Battery Lights

- Certificate Type :\*\*\*\*\*
- 011-011
- Warm



Classic Milky white, Portable  
Used indoor  
Diameter  $\phi$  7.5 cm  
External high 11.5 cm  
Batteries 3xAAA  
12 pcs per colorbox



## 1 LED Candle Battery Lights

- Certificate Type :\*\*\*\*\*
- 011-001
- Warm



Classic Milky white, Portable  
Used indoor  
Diameter  $\phi$  7.5 cm  
External high 20.5 cm  
Batteries 3xAAA  
12 pcs per colorbox




## LED' S Combinations Plan

All products with battey-operated lighting used indoor and outdoor, No electricity socket is needed. So no hassling with cables and extension cords. Press timer only once. The lights will light up automatically 6 hours a day, every day at the same time. Available in steady and with 8 twinkle functions .

To lighten up bigger objects in your garden! Available are different models, with more lights and longer cables. works up to 50 days on only one set of batteries!

The battery-operated 2AA 3AA 3AAA LR44 SO ON  
The wire 1\*0.15mm<sup>2</sup> and Lead wire 2\*0.15mm<sup>2</sup>

Battery Products Assortment







## Decoration Lights And New Pruducts




Modelling Decoration Lights-----99

New Lights-----105



# SHINING CITY

## Modelling Decoration Lights







## CHRISTMASWORLD-MODELLING




**240+EC LED Snow fall electroplate ball decoration running lights**

- Certificate type :\*\*\*\*\*
- 022-1x2
- White



Supply : Transformer DC12V/8W / AC230V IP20 50Hz  
Used : INDOOR  
Diam :  $\phi$  10/15/20/30 cm  
Lead wire 3.5M  
Silver ball / white LED




**240+EC LED Snow fall electroplate ball decoration running lights**

- Certificate type :\*\*\*\*\*
- 022-1x3
- Red



Supply : Transformer DC12V/8W / AC230V IP20 50Hz  
Used : INDOOR  
Diam :  $\phi$  10/15/20/30 cm  
Lead wire 3.5M  
Red ball / Red LED




**240+EC LED Snow fall electroplate ball decoration running lights**

- Certificate type :\*\*\*\*\*
- 022-1x8
- Warm



Supply : Transformer DC12V/8W / AC230V IP20 50Hz  
Used : INDOOR  
Diam :  $\phi$  10/15/20/30 cm  
Lead wire 3.5M  
Yellow ball / yellow LED



**240+EC LED Snow fall electroplate ball decoration running lights**

- Certificate type :\*\*\*\*\*
- 022-1x6
- Blue



Supply : Transformer DC12V/8W / AC230V IP20 50Hz  
Used : INDOOR  
Diam :  $\phi$  10/15/20/30 cm  
Lead wire 3.5M  
Bule ball / Blue LED

**Different ball collocation  
different LED color**





**300 LED Cherry blossoms ball decoration lights**

- Certificate type :\*\*\*\*\*
- 023-1x8
- Warm



Supply : AC230V IP20 50Hz  
Used : INDOOR  
Diam :  $\phi$  10/15/20/30 cm  
Lead wire 1M Clear or green color ball  
Clear PVC wire  
Packaging colorbox  
2 pcs per carton  
0.03 cbm/ctn





**LED Dream ball Exploding star decoration lights**

- Certificate type :\*\*\*\*\*
- 024-1x1
- Multicolor



Supply : AC230V IP20/50Hz  
Used : INDOOR  
Diam :  $\phi$  10/15/20/30 cm  
Lead wire 1M  
Clear ball or color ball  
Different modlling  
Packaging colorbox  
4 pcs per carton  
0.05 cbm/ctn



**LED Dream ball Exploding star decoration lights**

- Certificate type :\*\*\*\*\*
- 024-1x2
- Multicolor



Supply : AC230V IP20/50Hz  
Used : INDOOR  
Diam :  $\phi$  10/15/20/30 cm  
Lead wire 1M  
Clear ball or color ball  
Different modlling  
Packaging colorbox  
4 pcs per carton  
0.05 cbm/ctn





## CHRISTMASWORLD-MODELLING



**LED Meteor Decoration Lights 10s/20LED Diamter 13mm, 20cm Long Tube, Tube Distane 45cm**

- Certificate type :\*\*\*\*\*
- 050-404
- White



Supply : AC230V-DC6V IP44/50Hz  
Used : OUTDOOR & INDOOR  
Lead wire 5M  
Black rubber wire 2\*0.5 mm<sup>2</sup>  
End connected  
Packaging colorbox  
6 pcs per carton  
0.06 cbm/ctn



**LED Meteor Decoration Lights 10s/20LED Diamter 13mm, 20cm Long Tube, Tube Distane 45cm**

- Certificate type :\*\*\*\*\*
- 050-405
- White





Supply : AC230V-DC6V IP44/50Hz  
Used : OUTDOOR & INDOOR  
Lead wire 5M  
White rubber wire 2\*0.5 mm<sup>2</sup>  
End connected  
Packaging colorbox  
6 pcs per carton  
0.06 cbm/ctn

**LED Meteor Decoration Lights 10s/108LED Diamter 23mm, 20cm Long Tube, Tube Distane 60cm**

- Certificate type :\*\*\*\*\*
- 050-406/7
- White



Supply : AC230V-DC12V IP44/50Hz  
Used : OUTDOOR & INDOOR  
Lead wire 5M  
Black rubber wire 2\*0.5 mm<sup>2</sup>  
End connected  
Packaging colorbox  
6 pcs per carton  
0.07 cbm/ctn




**LED ICICLE Meteor Decoration lights 20PCS**

- Certificate type :\*\*\*\*\*
- 050-101
- Blue & Pink



Supply : AC230V-DC12V IP44/50Hz  
Used : OUTDOOR & INDOOR  
Lead wire 3M  
Clear PVC wire 2\*0.2 mm<sup>2</sup>




**LED ICICLE Meteor Decoration lights 20PCS**

- Certificate type :\*\*\*\*\*
- 050-102
- Warm & Red & blue



Supply : AC230V-DC12V IP44/50Hz  
Used : OUTDOOR & INDOOR  
Lead wire 3M  
Clear PVC wire 2\*0.2 mm<sup>2</sup>




**LED ICICLE Meteor Decoration lights 20PCS**

- Certificate type :\*\*\*\*\*
- 050-103
- White & Green & Red



Supply : AC230V-DC12V IP44/50Hz  
Used : OUTDOOR & INDOOR  
Lead wire 3M  
Clear PVC wire 2\*0.2 mm<sup>2</sup>



**LED ICICLE Meteor Decoration lights 10PCS**

- Certificate type :\*\*\*\*\*
- 050-104
- 7 color




Supply : AC230V-DC12V IP44/50Hz  
Used : OUTDOOR & INDOOR  
Lead wire 3M  
Clear PVC wire 2\*0.2 mm<sup>2</sup>







## CHRISTMASWORLD-MODELLING



### 40+EC LED $\phi$ 80 BALL Decoration lights

- Certificate type :\*\*\*\*\*
- 040-106
- Blue



Supply : AC230V-DC12V IP44/50Hz  
Used : OUTDOOR & INDOOR  
Lead wire 3M  
Ball size  $\phi$  60/80/100 mm  
Clear PVC wire 2\*0.2 mm<sup>2</sup>



### 40+EC LED $\phi$ 80 BALL Decoration lights

- Certificate type :\*\*\*\*\*
- 040-107
- Green



Supply : AC230V-DC12V IP44/50Hz  
Used : OUTDOOR & INDOOR  
Lead wire 3M  
Ball size  $\phi$  60/80/100 mm  
Clear PVC wire 2\*0.2 mm<sup>2</sup>




### 40+EC LED $\phi$ 80 BALL Decoration lights


- Certificate type :\*\*\*\*\*
- 040-103
- Red



Supply : AC230V-DC12V IP44/50Hz  
Used : OUTDOOR & INDOOR  
Lead wire 3M  
Ball size  $\phi$  60/80/100 mm  
Clear PVC wire 2\*0.2 mm<sup>2</sup>



## LED FILEMENT



USED YOUR COURTYARD OR  
ANY PARTY  
INDOOR & OUTDOOR







## CHRISTMASWORLD-FILEMENT





### 10+EC LED G80 FILEMENT E27 Decoration lights

- Certificate type :\*\*\*\*\*
- 080-001
- Multicolor



Supply : AC230V ( OR DC31V ) IP44/50Hz  
Used : OUTDOOR & INDOOR  
Lead wire 5M  
Ball size : A60/G80/G125/FC35  
Main cable wire 2\*0.1 mm<sup>2</sup>  
End connected  
Color ball or color LED  
6pcs per carton 0.08 cbm/ctn




### 10+EC LED A60 FILEMENT E27 Decoration lights

- Certificate type :\*\*\*\*\*
- 080-012
- White



Supply : AC230V ( OR DC31V ) IP44/50Hz  
Used : OUTDOOR & INDOOR  
Lead wire 5M  
Ball size : A60/G80/G125/FC35  
Main cable wire 2\*0.1 mm<sup>2</sup>  
End connected  
Color ball or color LED  
6pcs per carton 0.08 cbm/ctn




### 10+EC LED G45 FILEMENT E27 Decoration lights

Each bulb can be replaced

- Certificate type :\*\*\*\*\*
- 080-028
- Warm



Supply : AC230V ( OR DC31V ) IP44/50Hz  
Used : OUTDOOR & INDOOR  
Lead wire 5M  
Main cable wire 2\*0.1 mm<sup>2</sup>  
End connected  
Color ball or color LED  
6pcs per carton  
0.08 cbm/ctn




### 10+EC LED St63 FILEMENT E27 Decoration lights

Each bulb can be replaced

- Certificate type :\*\*\*\*\*
- 080-032
- White



Supply : AC230V ( OR DC31V ) IP44/50Hz  
Used : OUTDOOR & INDOOR  
Lead wire 5M  
Main cable wire 2\*0.1 mm<sup>2</sup>  
End connected  
Color ball or color LED  
6pcs per carton  
0.08 cbm/ctn







## CHRISTMASWORLD-FILEMENT



**10+EC LED T300 Filament E27 lights**  
Each bulb can be replaced

- Certificate type :\*\*\*\*\*
- 080-058
- Multicolor



Supply : AC230V ( OR DC31V ) IP44/50Hz  
Used : OUTDOOR & INDOOR  
Lead wire 5M  
Main cable wire 2\*0.1 mm<sup>2</sup>  
End connected  
Color ball or color LED  
6pcs per carton  
0.08 cbm/ctn




**10+EC LED C35 Filament E27 lights With Transformer** Each bulb can be replaced

- Certificate type :\*\*\*\*\*
- 080-178
- Warm



Supply : AC230V-DC36V/8W IP44/50Hz  
Used : OUTDOOR & INDOOR  
Lead wire 5M  
Main cable wire 2\*0.1 mm<sup>2</sup>  
End connected  
Color ball or color LED  
6pcs per carton  
0.08 cbm/ctn



## LED light source is also a lot of modeling (Babysbreath)








## PROJECTOR GARDEN LIGHTS



There are have two light source of The Projector Garden Light , LASER and LED  
You can USED your garden and house , OUTDOOR

### Please read before use :

Do not plug in laser unit until prompted in these instructions  
Only use supplied transformer  
Important Safeguards  
To reduce the risk of fire,electric shock,or injury when using any electric appliance,  
precautions should be made,these precautions in clude but are not limited to:



### Read all instructions



Caution!—Use only as directed.Improper use may result in damage to the eyes due to direct exposure to laser radiation.

This product has a polarized plug to reduce the risk of electric shock.It will therefore only fit into a polarized outlet one way.If the plug does not fit,reverse the plug.If it still does not fit,contact a qualified electrician.Do not use with an extension cord unless the plug can be fully inserted.Do not alter the plug.

This unit is certified as a Class II/Class III b laser product,Class II/Class III b laser products can be hazardous when directly viewed. Avoid looking directly into Class II/Class III b lasers.This product,as well as other demonstration laser products like some laser pointers, are classified as Class II/Class III b laser energy levels.


This product uses diffractive optics to scatter the beam of energy.This scattering effect causes the energy concentration to drop below the exposure limits for momentary or accidental viewing at a relatively short distance for the laser aperture.As with all bright light sources,when you operate this device in public areas it is recommended that up-close access to the light be restricted. While the Class II/Class III b laser in this device may be hazardous on its own,it is encased in a protective housing and uses diffractive holographic optics,

therefore the laser radiation is not directly exposed to during operation or maintenance.Each individual laser beam is less than 0.25w/0.5w,which is about the same as an average laser pointer.

Do not attempt to open the protective housing or operate the device if the aperture windows are damaged.If the unit requires service that involves removing the protective housing,contact the manufacturer.Opening the protective housing voids the warranty.



Save these instructions  
Before you begin  
Carefully unpack package contents to make sure all parts are present.  
Some assembly is required.



### LASER projector garden BABYSBREATH

- Certificate type :\*\*\*\*\*
- 090-001



LASER color dynamic Red and green (Blue) and 12 different changing figures

Wireless remote control Class3

Projector garden babysbreath, Lead wire length 5m, Transformer 12V/5W/IP44,Products waterproof IP65, Incidental remote control,it have wirelesspower \change Color flash setting /1-6 hour timer and timer off , Used OUTDOOR,Laser have different mod- Elling,Packaging colorbox .



### Product Parameter:

Laser Source	Red Laser,Green Laser
Laser power	R:100mw@650nm,G:20mW@532nm
Control Mode	Static/Moving
Warm up time	2-10 Minutes
Rating Power	5W
Environment	-20°C to 60°C
Power Supply	Input:AC120v~60Hz Output:DC5V/1A
Product Size	98mm(φ)X95mm(H)







## CHRISTMASWORLD-PROJECTOR



### LED projector garden Decoration

- Certificate type :\*\*\*\*\*
- 090-011



LED color dynamic white red blue green  
4~8 different shapes (Bell and whatever shapes)  
Supply Transformer DC12V/1A/IP44/IP65 Class3  
Products waterproof IP65  
Lead wire length : 5M black PVC wire  
Used place : OUTDOOR  
Show : Sundry different xmas gifes so on  
Remote control (PLASE CHECK USER MANUAL)  
Irradiation range : 10\*10m  
Rotation angle : 30° ~ 180°




### LED projector garden Babysbreath

- Certificate type :\*\*\*\*\*
- 090-012



LED color dynamic white red blue green 4~8 different  
shapes (whatever shapes)  
Supply Transformer DC12V/1A/IP44 Class3  
Products waterproof IP65  
Lead wire length : 5M black PVC wire  
Used place : OUTDOOR  
Show : Sundry different xmas gifes so on  
Remote control (PLASE CHECK USER MANUAL)  
Irradiation range : 10\*10m  
Rotation angle : 30° ~ 180°








## Traditional Lights



Little Lights For Indoor .....	117
Pearl Lights For Indoor .....	120
Rice Lights For Indoor .....	122
Rice Lights For Outdoor .....	124








# WAITING FOR SNOW

## Little Lights For Indoor



The quality of Our products meet the requirements of standards around the world  
And the cooper 、 lamp and all the material is the best,to create high-quality products

- Products can be customized information
- Wire color : green , clear , white , black and so on
  - Bulbs distance : 5~20 cm and so on
  - Packaging : colorbox or card, and PVC box




**20 bulbs little Round lights**

- Certificate type :\*\*\*\*\*
- 030-111
- Multicolor



The bulbs between distance 10 cm,  
Decoration length 1.90 m  
Wire type /spec is green PVC wire/1\*0.5mm<sup>2</sup>  
Supply for 230V/IP20/50Hz 17.5W  
Bulbs spec 12V/70mA 0.875W  
Packaging is card+polibag 50 pcs per cartons  
Volume : 0.016 cbm/ctn



**20 bulbs little Round lights**

- Certificate type :\*\*\*\*\*
- 030-112
- Clear




The bulbs between distance 10 cm,  
Decoration length 1.90 m  
Wire type /spec is green PVC wire/1\*0.5mm<sup>2</sup>  
Supply for 230V/IP20/50Hz 17.5W  
Bulbs spec 12V/70mA 0.875W  
Packaging is card+polibag 50 pcs per cartons  
Volume : 0.016 cbm/ctn







## CHRISTMASWORLD-TRADITIONAL



### 35 bulbs little Round lights

- Certificate type :\*\*\*\*\*
- 030-121
- Multicolor



The bulbs between distance 10 cm,  
Decoration length 3.40 m  
Wire type /spec is PVC wire/1\*0.5mm<sup>2</sup>  
Supply for 230V/IP20/50Hz 25W  
Bulbs spec 7V/10mA 0.72W  
Packaging is card+polibag 50 pcs per cartons





### 100 bulbs little Round lights

- Certificate type :\*\*\*\*\*
- 030-171
- Clear



The bulbs between distance 10 cm,  
Decoration length 9.90 m  
Wire type /spec is green PVC wire/1\*0.5mm<sup>2</sup>  
Supply for 230V/IP20/50Hz 40W  
Bulbs spec 2.5V/160mA 0.875W  
Packaging is card+polibag 40 pcs per cartons



### 50 bulbs little Round lights

- Certificate type :\*\*\*\*\*
- 030-131
- Clear



The bulbs between distance 10 cm,  
Decoration length 4.90 m  
Wire type /spec is green PVC wire/1\*0.5mm<sup>2</sup>  
Supply for 230V/IP20/50Hz 32W  
Bulbs spec 4.5V/145mA 0.64W  
Packaging is card+polibag 50 pcs per cartons





### 100+EC bulbs little Straight lights

- Certificate type :\*\*\*\*\*
- 030-371
- Multicolor



The bulbs between distance 10 cm,  
Decoration length 9.90 m  
Wire type /spec is green PVC wire/1\*0.5mm<sup>2</sup>  
Supply for 230V/IP20/50Hz 40W  
Bulbs spec 2.5V/160mA 0.875W  
Packaging is card+polibag 40 pcs per cartons  
Connected :YES



### 100+EC bulbs little Icicle lights









- Certificate type :\*\*\*\*\*
- 030-361
- Multicolor



The bulbs between distance 10 cm  
Strings distance : 25 cm  
Decoration length 4.95 m  
Wire stye/spec is PVC wire/1\*0.5mm<sup>2</sup>  
Supply for 230V/IP20/50Hz 40W  
Bulbs spec 2.5V/160mA 0.875W  
Packaging 24 pcs per cartons colorbox  
Volume : 0.050 cbm/ctns  
Connected :YES



### The other color Bulbs packaging informations :

	No.030-362 Clear 24 pcs per cartons 0.05 cbm/ctn		No.030-366 Blue 24 pcs per cartons 0.05 cbm/ctn
	No.030-364 Yellow 24 pcs per cartons 0.05 cbm/ctn		No.030-369 clear/white wire 24 pcs per cartons 0.05 cbm/ctn
	No.030-368 green 24 pcs per cartons 0.05 cbm/ctn		No.030-364 Orange 24 pcs per cartons 0.05 cbm/ctn
	No.030-363 Red 24 pcs per cartons 0.05 cbm/ctn		No.030-367 violet 24 pcs per cartons 0.05 cbm/ctn







CHRISTMASWORLD-TRADITIONAL

## Pearl Lights For Indoor



The quality of Our products meet the requirements of standards around the world  
And the cooper , lamp and all the material is the best,to create high-quality  
products

Products can be customized information

- Wire color : green , clear , white , black and so on
- Bulbs distance : 5~20 cm and so on
- Packaging : colorbox or card, and PVC box



### 20 pearl Round lights

- Certificate type :\*\*\*\*\*
- 030-811
- Multicolor



The bulbs between distance 10 cm,  
Decoration length 1.90 m  
Wire type /spec is green PVC wire/1\*0.5mm<sup>2</sup>  
Supply for 230V/IP20/50Hz 17.5W  
Bulbs spec 12V/70mA 0.875W  
Packaging is colorbox 36 pcs per cartons  
Volume : 0.035 cbm/ctns




### 100 pearl Round lights

- Certificate type :\*\*\*\*\*
- 030-842
- Clear



The bulbs between distance 10 cm,  
Decoration length 9.90 m  
Wire type/spec is green PVC wire/1\*0.5mm<sup>2</sup>  
Supply for 230V/IP20/50Hz 40W  
Bulbs spec 2.5V/160mA 0.4W  
Packaging is colorbox 24 pcs per cartons  
Volume : 0.08 cbm/ctns



### 50 pearl Round lights

- Certificate type :\*\*\*\*\*
- 030-831
- Multicolor



The bulbs between distance 10 cm,  
Decoration length 4.90 m  
Wire type /spec is green PVC wire/1\*0.5mm<sup>2</sup>  
Supply for 230V/IP20/50Hz 32W  
Bulbs spec 4.5V/140mA 0.6W  
Packaging is colorbox g 36 pcs per cartons  
Volume : 0.07 cbm/ctns

#### The others color packaging informations :

No.030-832 Clear 36 pcs per cartons 0.07 cbm/ctn	No.030-833 Red 36 pcs per cartons 0.07 cbm/ctn
No.030-834 Yellow 36 pcs per cartons 0.07 cbm/ctn	No.030-836 Blue 36 pcs per cartons 0.07 cbm/ctn
No.030-837 Violet 36 pcs per cartons 0.07 cbm/ctn	No.030-838 Green 36 pcs per cartons 0.07 cbm/ctn







CHRISTMASWORLD-TRADITIONAL

## Rice Lights For Indoor



The quality of Our products meet the requirements of standards around the world  
And the cooper 、 lamp and all the material is the best,to create high-quality products

Products can be customized information

- Wire color : green , clear , white , black and so on
- Bulbs distance : 5~20 cm and so on
- Packaging : colorbox or card, and PVC box
- Pendant : star \ snow \ oldman \ moon \ tree \ EVA ball and so on PE material



### 100+EC Rice+star Straight lights

- Certificate type :\*\*\*\*\*
- 034-541
- Multicolor



The Rice bulbs between distance 10 cm,  
Decoration length 9.90 m  
Wire type/spec is PVC wire/1\*0.5mm<sup>2</sup>  
Supply for 230V/IP20/50Hz 35W  
Bulbs spec 2.5V/140mA 0.35W  
Connected : YES  
Packaging is colorbox 12 pcs per cartons  
Volume : 0.035 cbm/ctns



### 100 Rice+star Straight lights with 8 function controller

- Certificate type :\*\*\*\*\*
- 031-552
- White



The Rice bulbs between distance 10 cm,  
Decoration length 9.90 m  
Wire type/spec is PVC wire/1\*0.5mm<sup>2</sup>  
Supply for 230V/IP20/50Hz 35W  
Bulbs spec 2.5V/140mA 0.35W  
Connected : NO  
Packaging is colorbox 12 pcs per cartons




### 100 Rice+star Round lights

- Certificate type :\*\*\*\*\*
- 031-531
- Multicolor



The Rice bulbs between distance 10 cm,  
Decoration length 9.90 m  
Wire type/spec is PVC wire/1\*0.5mm<sup>2</sup>  
Supply for 230V/IP20/50Hz 35W  
Bulbs spec 2.5V/140mA 0.35W  
Packaging is colorbox 12 pcs per cartons  
Volume : 0.035 cbm/ctns




### 100 Rice+star straight lights

- Certificate type :\*\*\*\*\*
- 031-542
- Clear



The Rice bulbs between distance 10 cm,  
Decoration length 9.90 m  
Wire type/spec is PVC wire/1\*0.5mm<sup>2</sup>  
Supply for 230V/IP20/50Hz 35W  
Bulbs spec 2.5V/140mA 0.35W  
Packaging is colorbox 12 pcs per cartons  
Volume : 0.05 cbm/ctns




### 20 Rice+ 4cm EVA ball Straight lights

- Certificate type :\*\*\*\*\*
- 031-441
- Multicolor



The Rice bulbs between distance 20 cm,  
Decoration length 3.90 m  
Wire type/spec is PVC wire/1\*0.5mm<sup>2</sup>  
Supply for 230V/IP20/50Hz 17W  
Bulbs spec 12V/70mA 0.085W  
Packaging is colorbox 12 pcs per cartons  
Volume : 0.045 cbm/ctns









CHRISTMASWORLD-TRADITIONAL


## Rice Lights For Outdoor




33-221 ( multicolor )




33-222 (clear)




33-223 (red)




33-225 (yellow)



33-226 (blue)



33-227 (orange)



33-228 (green)



33-229 (white wire)



### 100+EC Rice Staight Lights For Outdoor

■ Certificate type :\*\*\*\*\*



The Rice bulbs between distance 10 cm,  
Decoration length 9.90 m  
Wire type/spec is black rubber wire/1\*0.5mm<sup>2</sup>  
Supply for 230V/IP44/50Hz 35W  
Bulbs spec 2.5V/140mA 0.35W  
Packaging is colorbox 24 pcs per cartons  
Colobox size : 18\*9\*15 cm  
Volume : 0.06 cbm/ctns

the lights with controller make to different luminous function , decorate anywhere .



www.zhuguang-sh.com




### 100+EC Rice Icicle Lights For Outdoor (7bulbs-3bulbs-6bulbs-4bulbs)

■ Certificate type :\*\*\*\*\*  
■ 033-321  
■ Multicolor



The Rice bulbs between distance 10 cm,  
String distance 25 cm  
Decoration L4.75 m x H0.70 m  
Lights Wire type/spec is black rubber wire/1\*0.5mm<sup>2</sup>  
Plug wire spec 2\*0.75 mm<sup>2</sup> rubber cable wire  
Supply for 230V/IP44/50Hz 35W  
Bulbs spec 2.5V/140mA 0.35W  
Packaging is colorbox 24 pcs per cartons  
Colobox size : 19\*9\*16 cm  
Volume : 0.08 cbm/ctns



The bulbs number can be customized of per string, To  
decorate a different decoration .  
And the lights with controller make to different luminous  
function , decorate anywhere .





### 200+EC Rice Curtain Lights For Outdoor

■ Certificate type :\*\*\*\*\*  
■ 033-932  
■ White



The Rice bulbs between distance 10 cm,  
String distance 20\*25 cm  
Decoration L4.75 m x H1.0 m  
Lights Wire type/spec is black rubber wire/1\*0.5mm<sup>2</sup>  
Plug wire spec 2\*0.75 mm<sup>2</sup> rubber cable wire  
Supply for 230V/IP44/50Hz 70W  
Bulbs spec 2.5V/140mA 0.35W  
Packaging is colorbox 12 pcs per cartons  
Colobox size : 25\*17\*9 cm  
Volume : 0.07 cbm/ctns





# HAPPY NEW BUSINESS

## Light of Art



Lights in the art of architecture , More abundant life .







## E27 Ball+Cooper wire Curtain Lights

- Certificate type :\*\*\*\*\*
- 070-008
- Warm



10LED cooper wire per ball  
Transformer 3V  
Different size Ball  
Vertical distance  
80-60-40-40-60-80 cm  
End Connected  
Any color  
Packaging colorbox  
0.05 cmb/ctn



## E27 Ball+Cooper wire Curtain Lights

- Certificate type :\*\*\*\*\*
- 070-108
- Warm



10LED cooper wire per ball  
Transformer 3V  
Different size Ball  
Vertical distance 80 cm  
End Connected  
Any color  
Packaging colorbox



## E27 Ball+Cooper wire Curtain Lights

- Certificate type :\*\*\*\*\*
- 070-208
- Warm



10LED cooper wire per ball  
24 pcs Ball  
Transformer 3V  
Vertical distance 80 cm  
End Connected  
Any color  
Packaging colorbox  
0.05 cmb/ctn



## E27 Ball+Filament Curtain Lights

- Certificate type :\*\*\*\*\*
- 071-008
- Warm



Transformer 31V or 220V~240V/50Hz  
Different type/size Ball  
G80 /ST64/A60/T30/C35 so on  
Vertical distance 90-60-30 cm.....  
Each string can replaced  
End Connected  
Any color  
Packaging colorbox  
0.05 cmb/ctn




## E27 Ball+Filament Curtain Lights

- Certificate type :\*\*\*\*\*
- 071-108
- Warm



Transformer 31V or 220V~240V/50Hz  
Different type/size Ball  
G80 /ST64/A60/T30/C35 so on  
Vertical distance 90-50 cm.....  
Each string can replaced  
End Connected  
Any color  
Packaging colorbox  
0.05 cmb/ctn







## CHRISTMASWORLD-ART



LED Straight lights and Ball Hob

With Supply 220~240V/50Hz

Or 3V~31V Transformer

Need Customization The Ball size and LED number or wire color or LED color and flash so on



Modelling can be 3D everything

It is necessary to fix the decoration

Xx LED Straight lights

All color / any color wire


In order to make the arrangement of spherical hob, its structure is completely equivalent to the ball, 3D ball of light







## CHRISTMASWORLD-ART



Cooper wire  
The lights highlight the lines of the branches and make them more beautiful  
LED distance must small  
High brightness LED  
Supply Transformer 12V/8W IP44  
xx strings \* xx LED

Any color  
Customize different decorative beads, spacing, length, light intensity and so on



LED Cooper wire star and Modelling  
Same color  
Silver modelling  
Silver wire  
Silver star  
Warm white color LED



Willow LED lights  
Same color  
White tree  
White Trunk  
White Branch  
White color LED  
The Lights string is tightly tied to the tree trunk, A luminous tree